

Supplementary table S1

Description of disc samples for volume estimation

“No.” is the ID number of the destructively sampled tree (78 trees), “Site” is study site; 4y is 4-year-fallow, 7y is 7-year-fallow, and SF is Secondary forest. “Code” is destructive inventory code. “D” is diameter at breast height in cm, “H” is height in m, “Position” is where the disc was sampled along the main stem (meter), “D₁” is first diameter of sample in cm, “D₂” is second diameter of sample in cm, “T₁” is first thickness of sample in cm, “T₂” is second thickness of sample in cm, “% D” is the percentage difference of D₁ and D₂, “% T” is the percentage difference of T₁ and T₂. “Volume” is volume of disc sample in cm³.

No.	Site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
1	4y	4.1y	<i>Phyllanthus emblica</i>	5.1	5.00	0	5.2	5.5	10.5	10.5	5.6	0.0	236.0
1						1	4.0	4.5	10.0	10.0	11.8	0.0	141.9
1						2	3.3	3.5	10.5	10.5	5.9	0.0	95.3
1						3	2.8	3.0	10.0	10.0	6.9	0.0	66.1
2	4y	4.1y	<i>Phyllanthus emblica</i>	3.8	4.40	0	4.5	4.8	10.0	10.5	6.5	4.9	174.1
2						1	4.0	3.8	10.0	10.0	5.1	0.0	119.5
2						2	3.5	3.0	10.0	11.0	15.4	9.5	87.1
2						3	2.0	1.7	10.5	10.5	16.2	0.0	28.2
3	4y	4.1y	<i>Phyllanthus emblica</i>	3.7	4.00	0	5.0	4.0	10.5	11.0	22.2	4.7	171.0
3						1	3.5	3.2	9.5	10.0	9.0	5.1	85.9
3						2	1.8	2.0	10.0	10.0	10.5	0.0	28.4
4	4y	4.2y	<i>Phyllanthus emblica</i>	3.2	5.58	0	3.8	3.8	10.0	10.2	0.0	2.0	114.5
5						1	2.8	3.0	9.7	10.0	6.9	3.0	65.1
2						2	3.0	3.0	10.0	10.0	0.0	0.0	70.7

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
2						3	2.0	2.0	10.0	10.0	0.0	0.0	31.4
2	4y	4.2y	<i>Phyllanthus emblica</i>	2.2	4.36	0	2.0	2.5	15.5	15.5	22.2	0.0	61.6
2						1	2.1	2.0	15.5	16.0	4.9	3.2	52.0
2						2	2.0	2.0	15.5	15.5	0.0	0.0	48.7
2	4y	4.2y	<i>Phyllanthus emblica</i>	2.2	4.28	0	3.0	3.0	15.0	15.0	0.0	0.0	106.0
2						1	2.2	2.0	16.0	16.0	9.5	0.0	55.4
2						2	1.5	1.5	16.5	16.5	0.0	0.0	29.2
2	4y	4.2y	<i>Phyllanthus emblica</i>	3.0	4.38	0	2.8	2.5	15.5	15.5	11.3	0.0	85.5
2						1	2.1	2.1	15.0	15.0	0.0	0.0	52.0
2						2	1.8	2.0	14.7	15.0	10.5	2.0	42.1
2	4y	4.2y	<i>Phyllanthus emblica</i>	2.4	4.57	0	3.2	2.8	15.7	15.3	13.3	2.6	109.6
2						1	2.0	2.3	15.5	15.0	14.0	3.3	55.4
2						2	1.8	1.7	15.2	15.5	5.7	2.0	36.9
2						3	1.1	1.0	15.0	15.0	9.5	0.0	13.0
2	4y	4.2y	<i>Phyllanthus emblica</i>	2.2	3.98	0	2.7	3.0	15.0	15.0	10.5	0.0	95.7
2						1	2.0	2.0	15.0	14.5	0.0	3.4	46.3
2						2	1.5	2.0	15.0	15.0	28.6	0.0	36.1
3	4y	4.3y	<i>Phyllanthus emblica</i>	2.9	3.90	0	3.3	3.7	11.0	12.0	11.4	8.7	110.6
3						1	2.5	2.5	15.0	15.0	0.0	0.0	73.6
3						2	1.7	1.7	15.5	15.5	0.0	0.0	35.2
3	4y	4.3y	<i>Phyllanthus emblica</i>	3.7	4.25	0	4.0	4.3	10.5	11.0	7.2	4.7	145.4
3						1	3.5	3.5	11.0	11.0	0.0	0.0	105.8
3						2	2.5	2.0	15.0	15.0	22.2	0.0	59.6
3						3	1.9	1.2	15.0	15.0	45.2	0.0	28.3
3	4y	4.3y	<i>Phyllanthus emblica</i>	1.9	3.25	0	3.0	3.5	14.5	14.0	15.4	3.5	118.2
3						1	1.5	2.0	15.5	16.0	28.6	3.2	37.9

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
3						2	1.2	1.2	15.0	15.0	0.0	0.0	17.0
3	4y	4.3y	<i>Phyllanthus emblica</i>	1.8	3.25	0	2.0	1.8	15.0	15.0	10.5	0.0	42.5
3						1	1.8	1.7	15.0	15.0	5.7	0.0	36.1
3						2	1.3	1.2	15.0	14.5	8.0	3.4	18.1
3	4y	4.3y	<i>Phyllanthus emblica</i>	3.2	3.90	0	4.6	5.3	10.5	9.5	14.1	10.0	192.4
3						1	3.8	3.9	10.0	10.0	2.6	0.0	116.4
3						2	2.2	2.3	10.2	10.2	4.4	0.0	40.6
3	4y	4.3y	<i>Phyllanthus emblica</i>	3.2	4.10	0	5.1	5.0	10.0	9.2	2.0	8.3	192.3
3						1	3.5	3.2	10.1	10.1	9.0	0.0	89.0
3						2	2.7	3.0	10.0	10.5	10.5	4.9	65.4
3						3	1.1	1.0	10.3	10.2	9.5	1.0	8.9
3	4y	4.3y	<i>Phyllanthus emblica</i>	2.5	4.13	0	3.9	4.0	10.0	10.7	2.5	6.8	126.8
3						1	2.6	2.3	10.2	10.4	12.2	1.9	48.6
3						2	2.5	2.4	10.4	10.2	4.1	1.9	48.6
3						3	1.0	0.9	10.0	10.0	10.5	0.0	7.1
3	4y	4.3y	<i>Phyllanthus emblica</i>	2.6	3.77	0	4.0	3.7	9.7	9.7	7.8	0.0	112.9
3						1	2.4	2.7	10.5	10.6	11.8	0.9	53.9
3						2	1.9	1.4	10.4	10.4	30.3	0.0	22.2
4	4y	4.4y	<i>Aporosa villosa</i>	4.1	3.95	0	6.0	5.5	12.0	10.0	8.7	18.2	285.6
4						1	3.5	4.0	11.0	10.7	13.3	2.8	119.8
4						2	3.2	3.3	9.5	10.0	3.1	5.1	80.9
4	4y	4.4y	<i>Aporosa villosa</i>	3.4	4.18	0	4.8	5.7	11.0	10.5	17.1	4.7	232.7
4						1	3.5	3.2	10.0	10.0	9.0	0.0	88.1
4						2	3.3	2.8	10.0	10.8	16.4	7.7	76.0
4						3	1.6	1.6	10.0	10.0	0.0	0.0	20.1
4	4y	4.4y	<i>Aporosa villosa</i>	3.7	4.00	0	5.5	6.0	9.3	10.7	8.7	14.0	259.7

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
4						1	3.8	4.0	10.6	10.7	5.1	0.9	127.2
4						2	3.2	3.2	10.4	10.0	0.0	3.9	82.0
4						3	1.7	1.9	10.5	10.5	11.1	0.0	26.7
4	4y	4.4y	<i>Aporosa villosa</i>	3.4	4.10	0	4.3	4.0	10.3	10.0	7.2	3.0	137.3
4						1	3.0	2.5	10.3	10.2	18.2	1.0	60.9
4						2	1.8	1.5	10.2	10.3	18.2	1.0	21.9
4						3	1.2	1.1	10.2	10.4	8.7	1.9	10.7
4	4y	4.4y	<i>Aporosa villosa</i>	2.5	3.62	0	3.7	3.2	10.3	9.5	14.5	8.1	92.5
4						1	2.6	2.7	10.7	10.5	3.8	1.9	58.5
4						2	2.0	2.2	10.5	10.4	9.5	1.0	36.2
4	4y	4.4y	<i>Aporosa villosa</i>	2.2	2.10	0	3.7	3.5	10.0	10.4	5.6	3.9	103.8
4						1	1.2	1.0	15.5	15.0	18.2	3.3	14.5
5	4y	4.5y	<i>Aporosa villosa</i>	2.9	3.17	0	3.8	3.6	10.0	10.3	5.4	3.0	109.1
5						1	2.9	2.9	10.0	11.5	0.0	14.0	71.0
5						2	1.5	1.5	10.5	10.5	0.0	0.0	18.6
5	4y	4.5y	<i>Aporosa villosa</i>	3.2	3.71	0	4.1	4.3	11.5	10.0	4.8	14.0	148.9
5						1	3.0	3.1	10.5	10.5	3.3	0.0	76.7
5						2	2.3	2.2	10.0	10.3	4.4	3.0	40.4
5	4y	4.5y	<i>Aporosa villosa</i>	1.9	2.89	0	3.0	2.8	15.3	15.0	6.9	2.0	100.1
5						1	1.9	2.4	14.3	15.3	23.3	6.8	53.7
5	4y	4.5y	<i>Aporosa villosa</i>	1.9	3.10	0	3.0	3.0	10.5	10.0	0.0	4.9	72.5
5						1	2.0	1.7	10.4	10.4	16.2	0.0	28.0
5						2	1.2	1.3	10.3	10.3	8.0	0.0	12.6
5	4y	4.5y	<i>Aporosa villosa</i>	2.6	3.68	0	3.0	2.8	10.5	11.0	6.9	4.7	71.0
5						1	3.0	3.0	10.5	10.0	0.0	4.9	72.5
5						2	1.8	2.0	10.0	10.0	10.5	0.0	28.4

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
5	4y	4.5y	<i>Aporosa villosa</i>	1.4	2.44	0	2.6	2.5	15.0	14.7	3.9	2.0	75.8
5						1	1.4	1.6	16.3	15.0	13.3	8.3	27.7
6	4y	4.6y	<i>Aporosa villosa</i>	2.9	3.53	0	4.0	3.7	10.2	10.2	7.8	0.0	118.7
6						1	3.0	3.0	10.3	10.3	0.0	0.0	72.8
6						2	1.7	1.8	10.0	9.8	5.7	2.0	23.8
6	4y	4.6y	<i>Aporosa villosa</i>	2.3	3.53	0	3.3	3.1	10.0	10.0	6.2	0.0	80.4
6						1	2.5	2.5	10.3	9.5	0.0	8.1	48.6
6						2	1.6	1.6	15.0	15.0	0.0	0.0	30.2
6	4y	4.6y	<i>Aporosa villosa</i>	2.5	3.31	0	2.8	4.0	10.0	10.2	35.3	2.0	91.7
6						1	2.3	2.3	10.0	10.2	0.0	2.0	42.0
6						2	1.4	1.5	15.0	14.5	6.9	3.4	24.4
6	4y	4.6y	<i>Aporosa villosa</i>	1.6	3.09	0	2.9	2.5	10.0	10.0	14.8	0.0	57.3
6						1	2.0	1.8	15.2	15.0	10.5	1.3	42.8
6						2	1.3	1.2	15.0	15.3	8.0	2.0	18.6
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	3.1	4.33	0	4.3	4.4	9.5	10.0	2.3	5.1	144.9
7						1	3.0	3.8	10.0	9.0	23.5	10.5	86.3
7						2	2.4	2.2	10.0	10.1	8.7	1.0	41.8
7						3	1.7	1.5	9.5	10.0	12.5	5.1	19.6
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	5.7	4.63	0	7.1	7.3	5.1	6.0	2.8	16.2	226.0
7						1	6.0	6.0	6.5	6.4	0.0	1.6	182.4
7						2	4.0	4.1	5.3	5.3	2.5	0.0	68.3
7						3	1.6	1.7	9.9	10.0	6.1	1.0	21.3
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	6.4	4.32	0	8.0	7.5	5.3	5.6	6.5	5.5	257.1
7						1	6.7	6.8	5.2	5.2	1.5	0.0	186.1
7						2	4.8	4.8	5.3	5.3	0.0	0.0	95.9
7						3	1.9	2.2	10.5	10.5	14.6	0.0	34.7

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	4.3	4.31	0	5.5	5.7	10.0	10.0	3.6	0.0	246.3
7						1	4.9	4.7	10.1	10.0	4.2	1.0	181.9
7						2	4.0	3.0	10.5	10.1	28.6	3.9	99.1
7						3	1.2	1.2	10.3	10.0	0.0	3.0	11.5
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	4.1	4.11	0	5.5	5.0	10.1	9.8	9.5	3.0	215.4
7						1	4.4	4.1	10.0	10.3	7.1	3.0	144.0
7						2	2.8	2.8	10.0	10.0	0.0	0.0	61.6
7						3	1.5	1.4	10.3	10.2	6.9	1.0	16.9
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	1.4	3.05	0	3.0	3.3	10.0	10.3	9.5	3.0	79.1
7						1	1.5	1.5	15.0	15.2	0.0	1.3	26.7
7						2	0.8	0.8	15.0	15.0	0.0	0.0	7.5
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	1.2	3.12	0	1.5	1.5	15.2	15.0	0.0	1.3	26.7
7						1	1.1	1.1	15.0	15.3	0.0	2.0	14.4
7						2	1.1	1.1	15.0	14.8	0.0	1.3	14.2
7	4y	4.7y	<i>Lithocarpus polystachyus</i>	1.0	2.30	0	1.4	1.4	14.5	15.5	0.0	6.7	23.1
7						1	1.1	1.1	15.5	15.5	0.0	0.0	14.7
8	4y	4.8y	<i>Lithocarpus polystachyus</i>	4.5	4.63	0	6.3	6.5	9.9	10.0	3.1	1.0	320.1
8						1	4.2	4.3	9.9	10.0	2.4	1.0	141.2
8						2	3.1	3.0	10.0	9.9	3.3	1.0	72.7
8						3	1.9	1.9	9.9	10.0	0.0	1.0	28.2
8	4y	4.8y	<i>Lithocarpus polystachyus</i>	3.7	4.68	0	5.7	5.5	9.8	9.5	3.6	3.1	237.7
8						1	3.6	3.8	9.4	9.4	5.4	0.0	101.1
8						2	3.0	3.1	9.0	9.4	3.3	4.3	67.2
8						3	2.1	2.0	9.0	9.0	4.9	0.0	29.7
8	4y	4.8y	<i>Lithocarpus polystachyus</i>	2.2	3.68	0	4.1	4.3	10.3	10.8	4.8	4.7	146.2
8						1	2.3	2.2	11.0	11.4	4.4	3.6	44.5

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
8						2	2.2	2.2	10.9	11.3	0.0	3.6	42.2
9	4y	4.9y	<i>Lithocarpus polystachyus</i>	3.2	3.20	0	4.7	4.8	9.9	10.0	2.1	1.0	176.3
9						1	3.3	3.5	10.1	10.3	5.9	2.0	92.6
9	4y	4.9y	<i>Lithocarpus polystachyus</i>	2.0	3.11	0	3.7	3.9	10.3	10.5	5.3	1.9	117.9
9						1	2.3	2.3	10.4	10.0	0.0	3.9	42.4
9						2	1.2	1.4	10.6	10.6	15.4	0.0	14.1
9	4y	4.9y	<i>Lithocarpus polystachyus</i>	1.3	2.74	0	2.9	2.8	21.5	21.5	3.5	0.0	137.2
9						1	1.2	1.2	21.5	21.5	0.0	0.0	24.3
10	4y	4.10y	<i>Ilex umbellulata</i>	3.8	4.20	0	5.3	5.8	9.5	9.5	9.0	0.0	229.8
10						1	4.0	3.9	9.8	9.5	2.5	3.1	118.3
10						2	2.9	2.9	9.7	9.7	0.0	0.0	64.1
10						3	2.2	2.3	9.8	9.7	4.4	1.0	38.8
10	4y	4.10y	<i>Ilex umbellulata</i>	1.0	2.30	0	3.0	3.0	15.5	15.5	0.0	0.0	109.6
10						1	0.9	1.2	15.3	14.7	28.6	4.0	13.0
11	4y	4.11y	<i>Ilex umbellulata</i>	4.1	4.73	0	5.5	5.1	10.2	10.1	7.5	1.0	223.9
11						1	3.6	3.6	10.0	10.0	0.0	0.0	101.8
11						2	3.1	3.1	10.0	10.0	0.0	0.0	75.5
11						3	2.3	2.3	10.2	10.0	0.0	2.0	42.0
11	4y	4.11y	<i>Ilex umbellulata</i>	2.4	3.85	0	3.5	3.6	10.0	10.0	2.8	0.0	99.0
11						1	2.4	2.4	9.0	9.0	0.0	0.0	40.7
11						2	1.5	1.5	10.0	10.0	0.0	0.0	17.7
11	4y	4.11y	<i>Ilex umbellulata</i>	1.0	2.34	0	2.2	2.2	25.0	25.0	0.0	0.0	95.0
11						1	1.6	1.7	14.7	15.0	6.1	2.0	31.8
11						2	1.0	1.1	25.5	25.0	9.5	2.0	21.9
12	4y	4.12y	<i>Ilex umbellulata</i>	3.9	4.62	0	2.6	2.6	10.0	10.5	0.0	4.9	54.4
12						1	3.1	3.2	10.0	10.1	3.2	1.0	78.3

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
12						2	3.8	3.7	10.2	10.0	2.7	2.0	111.6
12						3	5.9	5.6	9.5	10.0	5.2	5.1	253.2
12	4y	4.12y	<i>Ilex umbellulata</i>	3.5	4.83	0	5.1	5.0	10.0	10.2	2.0	2.0	202.3
12						1	3.7	3.9	10.4	10.4	5.3	0.0	117.9
12						2	3.0	2.8	10.0	10.1	6.9	1.0	66.4
12						3	2.0	1.9	9.9	9.9	5.1	0.0	29.6
13	4y	4.13y	<i>Eugenia fruticosa</i>	2.7	3.02	0	4.5	5.0	9.8	10.2	10.5	4.0	177.2
13						1	2.9	2.8	10.0	9.8	3.5	2.0	63.2
13	4y	4.13y	<i>Eugenia fruticosa</i>	2.5	3.06	0	5.3	5.2	10.4	11.7	1.9	11.8	239.2
13						1	2.5	2.3	10.0	10.1	8.3	1.0	45.5
13						2	1.2	1.1	10.1	10.3	8.7	2.0	10.6
13	4y	4.13y	<i>Eugenia fruticosa</i>	1.6	2.21	0	3.5	3.6	9.7	9.8	2.8	1.0	96.5
13						1	2.0	1.9	15.0	15.0	5.1	0.0	44.8
13	4y	4.13y	<i>Eugenia fruticosa</i>	1.1	2.36	0	2.6	2.5	14.4	14.2	3.9	1.4	73.0
13						1	1.0	1.0	15.0	15.0	0.0	0.0	11.8
14	4y	4.14y	<i>Canarium subulatum</i>	2.7	3.76	0	3.8	3.5	10.0	9.9	8.2	1.0	104.1
14						1	2.8	2.7	9.8	9.8	3.6	0.0	58.2
14						2	2.0	1.8	10.0	10.1	10.5	1.0	28.5
15	4y	4.15y	<i>Wendlandia tinctoria</i>	2.1	3.57	0	2.8	2.3	15.0	15.1	19.6	0.7	76.9
15						1	2.0	2.0	15.2	15.1	0.0	0.7	47.6
15						2	1.5	1.6	15.1	15.4	6.5	2.0	28.8
15	4y	4.15y	<i>Wendlandia tinctoria</i>	1.4	2.84	0	2.5	2.2	15.0	15.0	12.8	0.0	65.1
15						1	1.7	1.5	15.5	15.3	12.5	1.3	31.0
16	4y	4.16y	<i>Schima wallichii</i>	4.1	5.18	0	5.6	5.7	5.0	5.1	1.8	2.0	126.6
16						1	4.6	4.3	5.0	5.5	6.7	9.5	81.7
16						2	4.5	4.3	5.2	5.0	4.5	3.9	77.5

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
16						3	3.3	3.3	9.7	9.8	0.0	1.0	83.4
16						4	1.5	1.5	10.0	10.0	0.0	0.0	17.7
16	4y	4.16y	<i>Schima wallichii</i>	3.5	4.80	0	5.2	4.9	9.7	9.2	5.9	5.3	189.3
16						1	3.5	3.4	10.0	10.5	2.9	4.9	95.8
16						2	2.9	3.1	10.0	9.9	6.7	1.0	70.3
16						3	2.2	2.2	9.8	10.0	0.0	2.0	37.6
16	4y	4.16y	<i>Schima wallichii</i>	3.2	5.10	0	5.0	5.2	10.0	10.1	3.9	1.0	205.3
16						1	3.3	3.3	10.2	10.1	0.0	1.0	86.8
16						2	2.8	2.8	9.9	9.8	0.0	1.0	60.7
16						3	2.3	2.2	10.0	10.1	4.4	1.0	40.0
16	4y	4.16y	<i>Schima wallichii</i>	2.2	3.90	0	3.1	3.5	10.0	9.8	12.1	2.0	84.7
16						1	2.2	2.2	9.9	10.0	0.0	1.0	37.8
16						2	1.2	1.3	15.4	15.5	8.0	0.6	19.0
17	4y	4.17y	<i>Styrax benzoides</i>	4.1	5.28	0	6.1	5.0	10.0	10.0	19.8	0.0	241.9
17						1	4.2	3.9	10.8	10.2	7.4	5.7	135.3
17						2	3.8	3.7	10.6	10.5	2.7	0.9	116.5
17						3	3.0	2.7	10.4	10.2	10.5	1.9	65.7
17						4	1.6	1.6	10.5	10.3	0.0	1.9	20.9
18	4y	4.18y	<i>Phoebe lanceolata</i>	3.6	3.80	0	4.0	3.2	19.8	20.3	22.2	2.5	204.1
18						1	3.1	3.1	20.0	19.7	0.0	1.5	149.8
18						2	2.2	2.3	19.8	19.5	4.4	1.5	78.1
19	4y	4.19y	<i>Ficus semicordata</i>	2.1	3.90	0	-	-	-	-	-	-	*857.1
19						1	-	-	-	-	-	-	*338.2
19						2	-	-	-	-	-	-	*197.7
19						3	-	-	-	-	-	-	*58.2
19	4y	4.19y	<i>Ficus semicordata</i>	3.2	4.00	0	4.8	4.3	22.3	20.7	11.0	7.4	349.6

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
19						1	4.1	4.0	20.2	20.0	2.5	1.0	258.9
19						2	3.0	2.4	20.0	20.5	22.2	2.5	115.9
19						3	1.1	1.1	20.5	20.5	0.0	0.0	19.5
20	4y	4.20y	<i>Castanopsis acuminatissima</i>	5.2	4.54	0	7.1	7.5	8.2	7.7	5.5	6.3	332.7
20						1	5.0	5.0	9.7	10.5	0.0	7.9	198.3
20						2	3.0	3.2	10.0	10.2	6.5	2.0	76.2
20						3	2.3	2.7	10.3	10.0	16.0	3.0	49.8
20	4y	4.20y	<i>Castanopsis acuminatissima</i>	5.1	4.95	0	6.3	7.0	10.0	10.0	10.5	0.0	347.3
20						1	4.9	4.8	9.9	10.0	2.1	1.0	183.8
20						2	4.1	4.0	10.0	10.5	2.5	4.9	132.0
20						3	2.8	2.8	10.5	10.5	0.0	0.0	64.7
20						4	1.8	1.7	10.5	10.7	5.7	1.9	25.5
21	4y	4.21y	<i>Ficus fistulosa</i>	1.9	3.30	0	-	-	-	-	-	-	*492.0
21						1	-	-	-	-	-	-	*321.4
21						2	-	-	-	-	-	-	*159.6
21	4y	4.21y	<i>Ficus fistulosa</i>	1.7	3.20	0	-	-	-	-	-	-	*425.9
21						1	-	-	-	-	-	-	*228.3
21						2	-	-	-	-	-	-	*145.2
21	4y	4.21y	<i>Ficus fistulosa</i>	1.3	3.05	0	-	-	-	-	-	-	*232.2
21						1	-	-	-	-	-	-	*141.6
21						2	-	-	-	-	-	-	*82.4
22	7y	7.1y	<i>Quercus kingiana</i>	32.9	13.60	3	32.0	33.0	5.0	5.0	3.1	0.0	4147.9
22						6	26.0	27.0	5.0	3.5	3.8	35.3	2344.1
22						9	12.0	13.0	6.0	5.5	8.0	8.7	705.6
23	7y	7.2y	<i>Aporosa villosa</i>	15.2	9.25	2	15.0	10.5	4.8	4.7	35.3	2.1	606.5
23						3	13.0	9.5	5.0	5.0	31.1	0.0	497.0

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
23						4	11.5	10.0	6.0	5.5	14.0	8.7	521.9
23						5	7.5	7.0	5.0	4.0	6.9	22.2	185.8
23						6	8.0	7.3	5.2	5.5	9.2	5.6	245.9
23						7	4.0	4.0	10.0	12.0	0.0	18.2	138.2
23						8	2.8	2.2	9.2	10.0	24.0	8.3	47.1
24	7y	7.3y	<i>Quercus kingiana</i>	18.5	10.33	0	20.0	20.5	6.0	6.0	2.5	0.0	1932.4
24						2	17.0	14.0	5.2	5.0	19.4	3.9	962.3
24						4	13.0	16.5	5.0	5.2	23.7	3.9	871.5
24						6	12.5	9.0	4.5	5.0	32.6	10.5	431.1
24						8	7.0	6.0	9.5	10.0	15.4	5.1	323.5
25	7y	7.4y	<i>Eugenia fruticosa</i>	15.1	8.74	0	18.0	14.5	5.0	5.0	21.5	0.0	1037.0
25						1	15.0	13.3	5.7	6.0	12.0	5.1	919.9
25						2	14.0	14.5	5.5	5.5	3.5	0.0	877.2
25						3	10.0	10.5	6.0	5.0	4.9	18.2	453.8
25						4	8.0	9.0	6.0	6.8	11.8	12.5	363.2
25						5	7.0	6.5	5.0	5.5	7.4	9.5	187.9
25						6	4.5	4.5	9.0	9.5	0.0	5.4	147.1
25						7	3.0	3.0	10.5	11.0	0.0	4.7	76.0
26	7y	7.5y	<i>Dalbergia cultrata</i>	10.8	8.90	0	14.5	13.5	4.5	5.2	7.1	14.4	746.6
26						1	10.0	11.0	5.0	5.5	9.5	9.5	454.6
26						2	9.0	9.0	6.0	5.5	0.0	8.7	365.8
26						3	7.5	6.5	5.0	5.2	14.3	3.9	196.3
26						4	6.0	6.0	5.2	4.2	0.0	21.3	132.9
26						5	4.7	4.5	10.0	9.0	4.3	10.5	157.9
26						6	4.5	4.5	10.5	10.7	0.7	1.9	169.7
26						7	3.0	3.0	10.4	10.5	0.0	1.0	73.9

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
27	7y	7.6y	<i>Quercus kingiana</i>	10.5	9.30	0	14.5	13.0	5.5	5.0	10.9	9.5	779.6
27						2	10.0	8.0	4.5	4.5	22.2	0.0	286.3
27						4	7.3	8.7	4.2	5.2	17.5	21.3	236.2
27						6	4.8	5.8	5.0	4.5	18.9	10.5	104.8
27						8	2.5	3.0	10.3	10.2	18.2	1.0	60.9
28	7y	7.7y	<i>Phoebe lanceolata</i>	6.7	6.57	0	11.0	10.0	5.5	5.0	9.5	9.5	454.6
28						1	7.1	6.0	4.5	5.2	16.8	14.4	163.4
28						2	7.0	6.0	5.2	4.4	15.4	16.7	159.3
28						3	3.5	3.8	9.5	10.0	8.2	5.1	102.0
28						4	3.8	4.2	11.0	10.2	10.0	7.5	133.2
28						5	2.0	2.0	9.5	9.5	0.0	0.0	29.8
29	7y	7.8y	<i>Lithocarpus polystachyus</i>	7.6	6.60	0	9.5	8.0	5.5	5.3	17.1	3.7	324.7
29						1	7.0	7.0	5.1	5.2	0.0	1.9	198.2
29						2	7.0	6.5	5.2	5.5	7.4	5.6	191.4
29						3	6.3	6.0	5.2	4.4	4.9	16.7	142.6
29						4	4.0	4.0	11.0	10.0	0.0	9.5	131.9
29						5	3.0	2.3	10.5	10.0	26.4	4.9	56.5
30	7y	7.9y	<i>Quercus semiserrata</i>	10.8	8.70	0	13.0	11.0	5.0	4.5	16.7	10.5	537.2
30						1	9.2	10.2	5.5	5.0	10.3	9.5	388.0
30						2	9.0	10.0	5.0	5.0	10.5	0.0	354.4
30						3	9.0	8.0	5.0	4.5	11.8	10.5	269.5
30						4	7.2	6.3	5.3	5.2	13.3	1.9	187.9
30						5	4.5	4.3	9.7	9.7	4.5	0.0	147.5
30						6	4.5	4.4	10.0	10.0	1.6	0.0	154.5
30						7	2.8	3.0	10.0	10.7	6.9	6.8	68.4
31	7y	7.10y	<i>Lithocarpus polystachyus</i>	8.3	8.10	0	9.8	10.5	5.0	4.7	6.9	6.2	392.4

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
31						1	8.5	8.5	5.8	5.4	0.0	7.1	317.8
31						2	7.2	8.0	5.8	6.2	10.5	6.7	272.2
31						3	6.0	6.5	4.5	5.0	8.0	10.5	145.7
31						4	5.6	5.8	5.2	5.1	3.5	1.9	131.4
31						5	4.9	4.9	9.5	10.0	0.0	5.1	183.9
31						6	3.8	3.8	9.6	10.0	0.0	4.1	111.1
31						7	2.0	2.1	9.7	10.0	4.9	3.0	32.5
31	7y	7.10y	<i>Lithocarpus polystachyus</i>	9.3	8.50	0	12.6	10.5	4.5	5.0	18.2	10.5	497.7
31						1	9.0	9.0	4.5	4.8	0.0	6.5	295.8
31						2	8.2	7.5	5.5	5.0	8.9	9.5	254.1
31						3	7.1	7.2	6.0	5.2	1.4	14.3	224.8
31						4	6.1	6.8	5.7	5.1	10.9	11.1	176.4
31						5	4.9	5.1	9.7	10.0	4.0	3.0	193.4
31						6	3.9	4.4	10.0	10.2	12.0	2.0	136.6
31						7	2.8	2.5	9.5	9.7	11.3	2.1	52.9
32	7y	7.11y	<i>Quercus kingiana</i>	7.3	5.25	0	10.0	7.5	5.7	5.2	28.6	9.2	327.7
32						1	6.0	6.5	9.5	9.5	8.0	0.0	291.5
32						2	6.5	6.0	9.5	10.0	8.0	5.1	299.1
32						3	5.0	4.5	9.0	9.5	10.5	5.4	163.9
32						4	5.1	5.1	3.2	3.5	0.0	9.0	68.4
32	7y	7.11y	<i>Quercus kingiana</i>	9.4	8.32	0	13.5	13.0	6.0	6.0	3.8	0.0	827.3
32						1	8.0	8.7	6.0	5.6	8.4	6.9	317.6
32						2	9.7	7.5	5.2	5.0	25.6	3.9	296.2
32						3	6.5	7.1	6.0	5.2	8.8	14.3	203.4
32						4	6.0	6.3	5.5	6.5	4.9	16.7	178.2
32						5	6.0	6.0	5.2	6.0	0.0	14.3	158.3

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
32						6	4.5	4.5	5.0	5.5	0.0	9.5	83.5
32						7	3.7	3.4	5.2	5.2	8.5	0.0	51.5
33	7y	7.12y	<i>Quercus kingiana</i>	6.9	6.29	0	9.0	8.5	6.2	5.5	5.7	12.0	351.8
33						1	6.7	6.7	5.4	6.3	0.0	15.4	206.3
33						2	6.0	6.5	5.8	6.5	8.0	11.4	188.7
33						3	4.5	4.7	7.0	6.1	4.3	13.7	108.9
33						4	3.3	3.5	9.8	10.0	5.9	2.0	89.9
33						5	2.0	1.9	10.1	9.9	5.1	2.0	29.9
34	7y	7.13y	<i>Lithocarpus polystachyus</i>	5.0	5.51	0	7.5	6.5	5.0	4.9	14.3	2.0	190.5
34						1	5.0	5.0	5.7	5.8	0.0	1.7	112.9
34						2	4.3	4.3	5.2	5.2	0.0	0.0	75.5
34						3	3.2	3.2	10.2	10.3	0.0	1.0	82.4
34						4	1.5	1.5	10.2	10.5	0.0	2.9	18.3
35	7y	7.14y	<i>Wendlandia tinctoria</i>	5.2	5.58	0	8.3	7.7	5.0	5.0	7.5	0.0	251.3
35						1	7.0	5.5	4.5	5.0	24.0	10.5	145.7
35						2	4.3	4.0	5.5	5.5	7.2	0.0	74.4
35						3	3.0	3.0	9.7	10.2	0.0	5.0	70.3
35						4	1.3	1.1	10.7	10.0	16.7	6.8	11.7
36	7y	7.15y	<i>Quercus kingiana</i>	11.1	6.60	0	14.0	15.0	5.2	6.0	6.9	14.3	924.7
36						1	10.5	10.0	5.5	5.5	4.9	0.0	453.8
36						2	8.5	9.3	4.6	4.8	9.0	4.3	292.4
36						3	7.0	7.3	5.0	5.0	4.2	0.0	200.8
36						4	5.5	5.0	5.2	5.2	9.5	0.0	112.6
36						5	3.5	3.0	10.5	10.0	15.4	4.9	85.0
37	7y	7.16y	<i>Dalbergia cultrata</i>	5.8	5.08	0	8.9	8.7	4.7	4.5	2.3	4.3	279.8
37						1	6.3	6.0	5.2	4.6	4.9	12.2	145.6

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
37						2	4.8	4.8	5.3	4.8	0.0	9.9	91.4
37						3	4.9	4.6	5.1	4.7	6.3	8.2	86.8
37						4	1.9	1.8	10.0	9.5	5.4	5.1	26.2
38	7y	7.17y	<i>Castanopsis acuminatissima</i>	11.1	7.26	0	11.5	8.0	5.5	5.7	35.9	3.6	418.1
38						1	9.2	10.5	5.5	6.3	13.2	13.6	449.6
38						2	8.0	9.0	5.7	5.3	11.8	7.3	312.1
38						3	9.0	8.0	5.3	5.6	11.8	5.5	309.3
38						4	8.0	7.3	4.7	5.2	9.2	10.1	227.5
38						5	7.5	6.0	5.5	5.8	22.2	5.3	202.2
38						6	3.0	3.1	9.7	10.1	3.3	4.0	72.3
38	7y	7.17y	<i>Castanopsis acuminatissima</i>	5.6	4.07	0	6.5	5.8	5.3	5.3	11.4	0.0	157.4
38						1	5.8	5.9	4.6	4.7	1.7	2.2	125.0
38						2	5.8	5.4	4.7	6.7	7.1	35.1	140.4
38						3	1.5	1.5	9.9	9.9	0.0	0.0	17.5
39	7y	7.18y	<i>Quercus kingiana</i>	8.0	4.93	0	8.5	8.5	5.0	5.3	0.0	5.8	292.2
39						1	8.5	7.5	5.5	6.5	12.5	16.7	301.6
39						2	5.3	5.5	5.3	5.0	3.7	5.8	117.9
39						3	3.3	3.2	10.8	9.5	3.1	12.8	84.2
39						4	1.2	1.2	10.0	9.8	0.0	2.0	11.2
40	7y	7.19y	<i>Canarium subulatum</i>	7.0	6.68	0	9.2	7.7	4.1	5.3	17.8	25.5	263.6
40						1	6.3	6.2	5.1	5.6	1.6	9.3	164.1
40						2	5.4	5.0	4.6	4.6	7.7	0.0	97.7
40						3	4.5	4.5	5.2	5.0	0.0	3.9	81.1
40						4	4.0	3.6	11.2	10.1	10.5	10.3	120.8
40						5	1.6	1.6	10.7	10.5	0.0	1.9	21.3
41	7y	7.20y	<i>Dalbergia cultrata</i>	5.2	5.00	0	8.1	8.3	5.4	5.0	2.4	7.7	274.6

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
41						1	6.0	5.2	5.4	5.3	14.3	1.9	131.8
41						2	4.7	4.4	4.9	5.3	6.6	7.8	82.9
41						3	3.6	3.6	9.8	9.6	0.0	2.1	98.7
41						4	2.0	2.1	9.7	9.6	4.9	1.0	31.9
42	7y	7.21y	<i>Phyllanthus emblica</i>	5.6	5.55	0	10.2	8.3	4.8	5.5	20.5	13.6	346.1
42						1	5.7	4.4	5.0	6.0	25.7	18.2	110.2
42						2	5.0	4.2	4.2	5.2	17.4	21.3	78.1
42						3	3.8	3.5	5.0	6.0	8.2	18.2	57.5
42						4	2.3	2.2	10.1	10.1	4.4	0.0	40.2
43	7y	7.22y	<i>Dalbergia cultrata</i>	9.4	7.72	0	12.0	12.5	5.5	7.0	4.1	24.0	736.6
43						1	10.1	9.0	6.6	5.4	11.5	20.0	429.8
43						2	8.6	7.9	5.0	5.3	8.5	5.8	275.3
43						3	8.0	6.5	4.5	4.9	20.7	8.5	194.0
43						4	5.8	5.5	4.5	6.1	5.3	30.2	132.9
43						5	3.3	3.4	9.4	10.0	3.0	6.2	85.5
43						6	3.0	2.8	10.2	11.2	6.9	9.3	70.7
44	7y	7.23y	<i>Styrax benzoides</i>	10.5	7.90	0	15.9	13.7	5.3	5.8	14.9	9.0	954.8
44						1	11.0	9.5	4.7	5.1	14.6	8.2	404.3
44						2	7.1	11.4	4.9	5.0	46.5	2.0	332.6
44						3	8.9	6.6	5.0	4.7	29.7	6.2	228.8
44						4	7.3	8.0	5.0	4.9	9.2	2.0	227.5
44						5	3.0	3.1	9.6	9.9	3.3	3.1	71.2
44						6	1.7	2.1	9.5	9.8	21.1	3.1	27.4
44						7	1.6	1.6	10.0	9.7	0.0	3.0	19.8
44	7y	7.23y	<i>Styrax benzoides</i>	7.0	6.79	0	13.5	10.3	5.0	5.3	26.9	5.8	572.8
44						1	7.1	7.1	5.0	5.1	0.0	2.0	199.9

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
44						2	6.6	5.3	5.5	4.8	21.8	13.6	143.2
44						3	5.0	5.0	4.8	5.1	0.0	6.1	97.2
44						4	4.3	4.0	5.9	5.7	7.2	3.4	78.5
44						5	3.0	2.6	10.0	9.8	14.3	2.0	61.0
45	7y	7.24y	<i>Schima wallichii</i>	17.8	12.19	0	21.3	20.5	5.3	5.0	3.8	5.8	1766.8
45						2	16.3	16.3	4.9	5.8	0.0	16.8	1116.4
45						4	15.7	18.0	4.8	5.2	13.6	8.0	1115.0
45						6	12.5	13.0	7.2	5.8	3.9	21.5	829.9
45						8	9.5	9.0	4.8	5.3	5.4	9.9	339.4
45						10	3.6	3.8	9.8	9.9	5.4	1.0	105.9
45	7y	7.24y	<i>Schima wallichii</i>	6.0	6.80	0	7.4	7.5	5.2	5.5	1.3	5.6	233.2
45						1	6.7	7.1	5.0	4.7	5.8	6.2	181.4
45						2	5.6	5.7	5.0	5.5	1.8	9.5	131.6
45						3	5.4	5.0	4.9	6.1	7.7	21.8	116.8
45						4	4.0	4.0	5.9	6.3	0.0	6.6	76.7
45						5	2.0	2.2	9.2	9.0	9.5	2.2	31.5
46	7y	7.25y	<i>Lithocarpus polystachyus</i>	12.3	5.80	0	10.5	10.0	5.5	4.5	4.9	20.0	412.6
46						1	10.3	10.8	4.8	5.2	4.7	8.0	437.1
46						2	6.8	6.3	5.0	6.0	7.6	18.2	185.3
46						3	6.5	6.8	5.5	4.9	4.5	11.5	180.6
46						4	2.5	2.4	9.4	9.0	4.1	4.3	43.4
47	SF	2F	<i>Castanopsis diversifolia</i>	8.3	11.68	0	8.4	8.3	5.1	5.2	1.2	1.9	282.0
47						1	7.4	7.7	4.8	5.0	4.0	4.1	219.4
47						2	6.2	6.5	5.0	5.1	4.7	2.0	159.9
47						3	6.2	5.5	5.3	5.0	12.0	5.8	138.4
47						4	5.0	5.0	5.0	5.0	0.0	0.0	98.2

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
47						5	4.8	4.7	4.9	4.9	2.1	0.0	86.8
47						6	4.3	4.5	4.9	5.2	4.5	5.9	76.8
47						7	4.4	4.0	5.2	5.1	9.5	1.9	71.4
47						8	4.0	4.0	5.1	5.0	0.0	2.0	63.5
47						9	2.4	2.3	5.0	5.0	4.3	0.0	21.7
47						10	0.9	1.0	4.7	5.0	10.5	6.2	3.4
47						11	0.9	1.0	17.0	17.0	10.5	0.0	12.0
48	SF	3F	<i>Lithocarpus polystachyus</i>	7.2	8.26	0	6.0	6.5	4.8	4.5	8.0	6.5	142.7
48						1	6.2	7.0	4.7	5.5	12.1	15.7	174.5
48						2	4.4	4.7	5.0	5.0	6.6	0.0	81.3
48						3	4.0	4.2	4.6	4.7	4.9	2.2	61.4
48						4	3.7	3.8	5.0	5.1	2.7	2.0	55.8
48						5	3.0	2.8	4.5	5.0	6.9	10.5	31.4
48						6	1.5	1.4	9.6	9.8	6.9	2.1	16.0
48						7	1.0	0.9	30.0	30.0	10.5	0.0	21.3
49	SF	4F	<i>Helicia nilagirica</i>	8.4	12.40	0	7.8	8.2	3.5	4.4	5.0	22.8	198.5
49						1	7.5	7.6	4.8	4.6	1.3	4.3	210.4
49						2	7.4	7.1	4.5	5.0	4.1	10.5	196.1
49						3	7.4	6.9	4.8	5.0	7.0	4.1	196.7
49						4	7.0	6.0	4.5	4.8	15.4	6.5	154.3
49						5	6.1	5.9	4.9	5.2	3.3	5.9	142.8
49						6	5.6	5.0	4.7	5.0	11.3	6.2	107.0
49						7	5.0	5.0	5.5	5.3	0.0	3.7	106.0
49						8	3.8	4.0	5.0	4.7	5.1	6.2	57.9
49						9	2.6	2.6	4.8	5.6	0.0	15.4	27.6
49						10	2.2	2.0	4.9	5.0	9.5	2.0	17.1

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
49						11	1.2	1.3	4.8	5.0	8.0	4.1	6.0
50	SF	5F	<i>Lithocarpus polystachyus</i>	8.8	6.90	0	10.0	9.6	4.0	4.5	4.1	11.8	320.6
50						1	8.3	9.6	5.0	4.5	14.5	10.5	298.8
50						2	6.2	6.0	5.1	4.9	3.3	4.0	146.1
50						3	6.0	6.7	5.3	5.5	11.0	3.7	171.0
50						4	5.5	4.5	4.8	4.5	20.0	6.5	91.3
50						5	5.3	4.5	5.0	5.0	16.3	0.0	94.3
50						6	5.0	4.0	5.0	5.0	22.2	0.0	79.5
51	SF	6F	<i>Helicia nilagirica</i>	5.1	5.90	0	6.4	6.0	5.2	5.5	6.5	5.6	161.5
51						1	4.4	4.2	5.3	5.0	4.7	5.8	74.8
51						2	3.6	3.7	4.0	4.3	2.7	7.2	43.4
51						3	3.1	3.0	4.9	4.7	3.3	4.2	35.1
51						4	2.0	2.0	4.8	4.8	0.0	0.0	15.1
52	SF	7F	<i>Castanopsis diversifolia</i>	6.4	5.90	0	8.0	8.5	5.5	5.0	6.1	9.5	280.6
52						1	6.0	6.2	4.7	5.0	3.3	6.2	141.7
52						2	4.4	4.0	10.2	10.5	9.5	2.9	143.4
52						3	3.2	3.5	10.2	10.0	9.0	2.0	89.0
52						4	2.0	2.3	10.0	10.0	14.0	0.0	36.3
53	SF	8F	<i>Helicia nilagirica</i>	6.6	6.80	0	8.2	7.6	5.5	5.0	7.6	9.5	257.3
53						1	5.3	5.5	5.0	4.6	3.7	8.3	109.9
53						2	4.3	4.0	5.2	5.4	7.2	3.8	71.7
53						3	4.5	4.0	5.0	4.6	11.8	8.3	68.1
53						4	3.5	3.5	10.0	9.5	0.0	5.1	93.8
53						5	2.8	2.5	9.5	9.5	11.3	0.0	52.4
54	SF	9F	<i>Castanopsis tribuloides</i>	6.4	7.30	0	8.7	7.5	4.5	5.0	14.8	10.5	244.8
54						1	6.5	6.5	5.2	5.3	0.0	1.9	174.2

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
54						2	5.4	5.2	4.7	4.7	3.8	0.0	103.7
54						3	7.3	5.9	6.0	5.5	21.2	8.7	196.7
54						4	5.6	5.1	5.0	5.0	9.3	0.0	112.4
54						5	4.0	4.0	10.0	10.0	0.0	0.0	125.7
55	SF	10F	<i>Canarium subulatum</i>	6.4	7.10	0	9.0	8.0	4.9	5.0	11.8	2.0	280.9
55						1	6.2	6.5	5.7	5.0	4.7	13.1	169.4
55						2	5.2	5.7	5.0	5.0	9.2	0.0	116.6
55						3	5.0	4.9	4.9	5.5	2.0	11.5	100.1
55						4	4.7	4.4	5.3	5.0	6.6	5.8	83.7
55						5	3.3	3.5	10.0	9.8	5.9	2.0	89.9
55						6	2.3	2.1	10.0	10.0	9.1	0.0	38.0
56	SF	11F	<i>Schima wallichii</i>	11.2	14.60	0	15.0	12.8	5.0	4.0	15.8	22.2	682.9
56						2	10.0	10.8	6.0	4.8	7.7	22.2	458.7
56						4	10.5	10.3	4.6	5.0	1.9	8.3	407.8
56						6	9.7	8.5	4.7	4.7	13.2	0.0	305.7
56						8	8.6	7.8	5.0	4.8	9.8	4.1	258.8
56						10	8.0	7.7	4.9	4.9	3.8	0.0	237.2
56						12	5.4	5.9	5.0	5.2	8.8	3.9	127.9
57	SF	12F	<i>Canarium subulatum</i>	4.8	7.70	0	5.3	5.2	9.8	10.0	1.9	2.0	214.3
57						1	4.5	4.5	10.0	9.7	0.0	3.0	156.7
57						2	3.7	4.0	10.0	10.0	7.8	0.0	116.4
57						3	3.3	3.3	10.0	10.2	0.0	2.0	86.4
57						4	2.5	2.5	10.0	10.3	0.0	3.0	49.8
57						5	2.2	2.2	10.0	9.8	0.0	2.0	37.6
58	SF	13F	<i>Castanopsis diversifolia</i>	5.1	6.43	0	6.5	7.5	4.0	4.8	14.3	18.2	169.3
58						1	5.0	6.0	4.7	5.5	18.2	15.7	121.2

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
58						2	4.5	4.5	10.0	10.0	0.0	0.0	159.0
58						3	3.2	3.0	10.3	10.5	6.5	1.9	78.5
58						4	2.4	2.5	10.0	11.0	4.1	9.5	49.5
59	SF	15F	<i>Canarium subulatum</i>	14.3	11.60	0	19.0	17.5	5.0	5.0	8.2	0.0	1307.9
59						2	13.5	12.5	5.0	5.5	7.7	9.5	696.8
59						4	11.5	10.0	4.7	4.7	14.0	0.0	426.6
59						6	9.5	9.5	5.0	5.0	0.0	0.0	354.4
59						8	8.0	7.3	5.2	5.0	9.2	3.9	234.4
60	SF	16F	<i>Schima wallichii</i>	17.8	17.00	0	23.5	20.0	4.1	5.0	16.1	19.8	1690.5
60						3	16.5	18.0	4.0	6.0	8.7	40.0	1168.5
60						6	15.5	17.0	4.5	5.3	9.2	16.3	1016.2
60						9	13.5	12.5	5.0	6.5	7.7	26.1	763.2
60						12	9.5	10.5	5.5	6.0	10.0	8.7	451.6
60						15	3.5	3.0	5.5	5.5	15.4	0.0	45.6
61	SF	17F	<i>Castanopsis tribuloides</i>	7.8	11.88	0	9.0	11.2	5.5	4.7	21.8	15.7	408.6
61						2	6.5	7.0	5.0	5.0	7.4	0.0	178.9
61						4	6.1	6.5	5.0	5.0	6.3	0.0	155.9
61						6	5.8	6.0	5.5	5.9	3.4	7.0	155.8
61						8	3.9	4.1	5.0	5.2	5.0	3.9	64.1
61						10	2.5	2.5	9.4	10.0	0.0	6.2	47.6
62	SF	18F	<i>Castanopsis tribuloides</i>	4.8	6.49	0	6.0	7.8	5.0	5.5	26.1	9.5	196.3
62						1	5.0	5.0	5.1	5.2	0.0	1.9	101.1
62						2	4.0	4.0	5.0	5.0	0.0	0.0	62.8
62						3	4.5	4.9	4.4	4.7	8.5	6.6	78.9
62						4	2.9	3.0	5.0	5.5	3.4	9.5	35.9
63	SF	19F	<i>Albizia chinensis</i>	21.6	19.30	0	33.0	26.0	6.5	6.0	23.7	8.0	4271.8

63						3	21.3	20.0	7.0	5.3	6.3	27.6	2059.7
63						6	18.0	19.5	5.5	4.5	8.0	20.0	1380.6
63						9	18.5	17.5	5.2	5.5	5.6	5.6	1361.4
63						12	14.5	15.5	4.5	4.5	6.7	0.0	795.2
63						15	10.0	9.2	5.3	5.3	8.3	0.0	383.6
64	SF	20F	<i>Canarium subulatum</i>	30.9	15.10	2	32.0	20.0	10.0	5.5	46.2	58.1	4114.7
64						4	21.2	21.0	11.0	4.6	0.9	82.1	2552.6
64						6	18.2	17.0	7.0	5.0	6.8	33.3	1459.7
64						8(1)	15.8	12.5	12.5	5.5	23.3	77.8	1415.3
64						8(2)	7.5	6.7	6.7	5.0	11.3	29.1	231.6
64						10	5.0	4.7	4.7	6.0	6.2	24.3	98.8
64						12	1.3	1.4	14.0	14.5	7.4	3.5	20.4
65	SF	21F	<i>Styrax benzoides</i>	5.8	8.15	0	9.5	8.5	8.5	5.5	11.1	42.9	445.3
65						1	6.0	6.0	6.0	5.3	0.0	12.4	159.7
65						2	5.0	5.3	5.2	5.8	5.8	10.9	114.6
65						3	5.3	5.0	5.0	5.5	5.8	9.5	109.4
65						4	5.0	4.7	4.7	5.0	6.2	6.2	89.6
65						5	5.0	5.0	5.0	5.3	0.0	5.8	101.1
65						6	2.3	2.5	12.5	10.0	8.3	22.2	50.9
66	SF	22F	<i>Phyllanthus emblica</i>	13.1	10.70	0	14.5	13.0	4.7	5.2	10.9	10.1	735.0
66						23	12.4	11.2	5.5	4.2	10.2	26.8	530.4
66						4	12.1	11.9	4.9	6.0	1.7	20.2	616.4
66						6	7.1	5.9	5.6	5.2	18.5	7.4	179.2
66						8	2.4	3.2	11.8	11.8	28.6	0.0	72.7
66						9	1.5	1.7	10.0	10.0	12.5	0.0	20.1
67	SF	23F	<i>Lithocarpus polystachyus</i>	18.1	16.80	0	22.0	20.0	5.5	6.0	9.5	8.7	1991.6
67						2	17.2	16.2	5.5	6.5	6.0	16.7	1314.2

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
67						4	14.2	16.0	6.2	6.2	11.9	0.0	1110.3
67						6	14.7	13.0	5.9	6.0	12.3	1.7	896.4
67						8	10.5	9.0	4.6	4.8	15.4	4.3	350.9
67						10	6.2	6.3	5.3	5.5	1.6	3.7	165.7
67						12	5.0	6.1	5.0	5.3	19.8	5.8	124.6
67						14	2.8	2.7	10.1	10.4	3.6	2.9	60.9
68	SF	24F	<i>Sapindus rarak</i>	16.2	15.50	0	20.0	16.5	5.0	7.5	19.2	40.0	1634.9
68						2	15.3	14.0	4.5	7.8	8.9	53.7	1036.7
68						4	14.3	14.3	7.8	5.0	0.0	43.8	1027.9
68						6	14.0	13.5	5.0	5.3	3.6	5.8	764.7
68						8	11.5	12.5	5.0	6.5	8.3	26.1	650.3
68						10	9.0	9.5	6.0	5.3	5.4	12.4	379.7
68						12	4.1	3.8	10.2	11.1	7.6	8.5	130.5
69	SF	25F	<i>Archidendron clypearia</i>	5.9	5.92	0	6.5	6.8	6.0	4.8	4.5	22.2	187.6
69						1	5.7	5.5	5.1	7.7	3.6	40.6	157.6
69						2	5.1	5.2	5.6	7.3	1.9	26.4	134.4
69						3	2.2	2.4	10.3	10.4	8.7	1.0	43.0
69						4	1.8	1.8	11.0	11.3	0.0	2.7	28.4
70	SF	26F	<i>Castanopsis tribuloides</i>	15.3	16.50	0	16.5	21.5	5.1	9.0	26.3	55.3	1998.9
70						2	14.9	12.5	5.4	5.0	17.5	7.7	766.5
70						4	12.2	12.0	4.6	5.2	1.7	12.2	563.5
70						6	13.0	10.2	4.5	6.0	24.1	28.6	554.8
70						8	10.5	9.0	4.9	4.7	15.4	4.2	358.4
70						10	9.2	7.6	4.4	4.9	19.0	10.5	258.0
70						12	6.0	5.5	7.8	7.7	8.7	1.3	201.2
70						14	4.7	3.9	10.0	11.0	18.6	9.5	152.5

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
71	SF	27F	<i>Aporosa villosa</i>	11.3	11.31	0	13.5	11.1	5.8	4.4	19.5	27.5	606.0
71						2	11.0	8.2	5.6	4.5	29.2	21.8	365.5
71						4	9.0	7.5	4.0	4.4	18.2	9.5	224.5
71						6	6.0	5.5	4.8	5.5	8.7	13.6	133.7
71						8	5.1	5.2	5.0	5.3	1.9	5.8	107.3
71						10	2.0	1.7	10.9	10.5	16.2	3.7	28.8
72	SF	28F	<i>Sarcosperma arboreum</i>	6.1	7.20	0	9.1	9.1	4.5	5.5	0.0	20.0	325.2
72						1	7.0	7.2	4.6	5.0	2.8	8.3	190.0
72						2	6.3	5.8	4.3	4.9	8.3	13.0	132.2
72						3	5.0	4.8	4.9	5.2	4.1	5.9	95.2
72						4	4.2	4.2	4.8	4.4	0.0	8.7	63.7
72						5	3.8	3.6	10.0	10.3	5.4	3.0	109.1
72						6	1.8	1.5	10.3	9.7	18.2	6.0	21.4
73	SF	29F	<i>Helicia nilagirica</i>	19.1	13.40	0	23.5	20.0	4.5	6.5	16.1	36.4	2043.5
73						2	18.0	16.5	4.1	5.8	8.7	34.3	1156.8
73						4	15.0	15.5	4.5	7.0	3.3	43.5	1050.3
73						6	14.0	12.7	4.4	5.3	9.7	18.6	678.9
73						8	8.0	7.2	4.5	6.4	10.5	34.9	247.2
73						10	6.3	6.6	4.5	5.6	4.7	21.8	165.0
73						12	2.8	2.8	9.6	10.2	0.0	6.1	61.0
74	SF	30F	<i>Eugenia fruticosa</i>	10.8	7.78	0	14.0	12.0	2.0	4.5	15.4	76.9	431.4
74						1	11.0	11.5	3.7	4.4	4.4	17.3	402.6
74						2	8.0	9.0	4.3	5.0	11.8	15.1	263.9
74						3	7.5	7.5	4.0	5.0	0.0	22.2	198.8
74						4	7.0	7.0	4.8	5.2	0.0	8.0	192.4
74						5	3.5	3.1	10.2	9.8	12.1	4.0	85.5

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
74						6	2.2	2.3	10.0	9.8	4.4	2.0	39.4
75	SF	31F	<i>Castanopsis diversifolia</i>	11.5	14.60	0	15.0	12.5	4.3	5.6	18.2	26.3	735.0
75						2	10.2	10.3	4.3	5.0	1.0	15.1	383.7
75						4	9.1	9.2	4.8	5.2	1.1	8.0	328.8
75						6	8.3	7.8	3.8	5.8	6.2	41.7	244.3
75						8	5.5	5.2	5.4	6.0	5.6	10.5	128.1
75						10	4.3	4.3	10.5	10.7	0.0	1.9	153.9
75						12	2.3	2.7	10.0	10.5	16.0	4.9	50.3
76	SF	32F	<i>Phoebe lanceolata</i>	12.6	15.52	0	15.3	15.5	4.8	6.3	1.3	27.0	1033.8
76						2	12.5	11.3	6.1	6.2	10.1	1.6	684.0
76						4	11.4	12.1	4.7	5.2	6.0	10.1	536.7
76						6	11.0	10.3	5.0	6.2	6.6	21.4	498.9
76						8	9.4	9.4	4.2	5.2	0.0	21.3	326.2
76						10	8.5	7.6	4.9	5.8	11.2	16.8	272.3
76						12	5.2	6.0	5.9	6.6	14.3	11.2	153.9
76						14	2.5	2.4	10.2	10.1	4.1	1.0	47.9
77	SF	33F	<i>Lithocarpus polystachyus</i>	6.7	12.10	0	10.0	10.2	5.3	6.0	2.0	12.4	452.7
77						2	6.5	4.3	10.6	10.7	40.7	0.9	243.9
77						4	5.9	4.8	10.3	10.2	20.6	1.0	230.4
77						6	5.1	5.5	6.8	7.6	7.5	11.1	158.8
77						8	4.0	3.6	11.5	10.0	10.5	14.0	121.9
77						10	3.0	2.8	10.6	10.5	6.9	0.9	69.7
78	SF	34F	<i>Wendlandia tictoria</i>	8.5	11.69	0	11.5	9.6	6.0	4.0	18.0	40.0	437.1
78						2	7.5	7.2	4.5	4.9	4.1	8.5	199.4
78						4	6.7	6.8	4.6	5.0	1.5	8.3	171.8
78						6	5.3	5.4	5.5	5.3	1.9	3.7	121.4

No.	site	Code	Species	D	H	Position	D ₁	D ₂	T ₁	T ₂	% D	% T	Volume
78						8	3.7	3.6	11.5	10.4	2.7	10.0	114.6
78						10	1.9	1.9	10.3	10.5	0.0	1.9	29.5

“ * ” Volume was calculated from log diameter

Supplementary table S2

List of tree species of DBH ≥ 1 cm in 4-year fallow, 7-year fallow and secondary forest. “No.” is ID number of tree species. N is number of individual trees. BA is basal area ($\text{cm}^2 \text{ha}^{-1}$). RD is relative density. RF is relative frequency. RDo is relative dominance. IVI is importance value Index.

4-year fallow (DBH ≥ 1 cm)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
1	<i>Aporosa villosa</i> (Lindl.) Baill.	110	7451.9	0.78	0.03	23.40	11.86	18.40	53.66	17.89
2	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	82	9147.8	0.81	2.28	17.45	12.29	22.58	52.32	17.44
3	<i>Phyllanthus emblica</i> L.	40	3075.9	0.69	1.11	8.51	10.59	7.59	26.70	8.90
4	<i>Ilex umbellulata</i> (Wall.) Loes.	35	1867.0	0.42	0.97	7.45	6.36	4.61	18.41	6.14
5	<i>Glochidion sphaerogynum</i> (Müll.Arg.) Kurz	24	1614.4	0.58	0.67	5.11	8.90	3.99	17.99	6.00
6	<i>Schima wallichii</i> Choisy	13	4422.8	0.19	0.36	2.77	2.97	10.92	16.65	5.55
7	<i>Flacourtia indica</i> (Burm.f.) Merr.	23	1913.6	0.33	0.64	4.89	5.08	4.72	14.70	4.90
8	<i>Callicarpa arborea</i> Roxb.	9	1913.9	0.25	0.25	1.91	3.81	4.72	10.45	3.48
9	<i>Styrax benzoides</i> W. G. Craib	13	1569.1	0.25	0.36	2.77	3.81	3.87	10.45	3.48
10	<i>Eugenia fruticosa</i> (Roxb. ex DC.) Roxb.	10	1716.2	0.19	0.28	2.13	2.97	4.24	9.33	3.11
11	<i>Canarium subulatum</i> Guillaumin	16	494.6	0.14	0.44	3.40	2.12	1.22	6.74	2.25
12	<i>Dalbergia cultrata</i> Benth.	9	336.8	0.19	0.25	1.91	2.97	0.83	5.71	1.90
13	<i>Quercus kingiana</i> Craib	6	776.7	0.11	0.17	1.28	1.69	1.92	4.89	1.63
14	<i>Anneslea fragrans</i> Wall.	6	165.3	0.11	0.17	1.28	1.69	0.41	3.38	1.13
15	<i>Albizia lebbek</i> (L.) Benth.	4	315.0	0.11	0.11	0.85	1.69	0.78	3.32	1.11
16	<i>Antidesma sootepense</i> Craib	8	130.1	0.08	0.22	1.70	1.27	0.32	3.29	1.10
17	<i>Anogeissus acuminata</i> (Roxb. ex DC.) Wall. ex Guillem. & Perr.	4	423.2	0.08	0.11	0.85	1.27	1.04	3.17	1.06
18	<i>Phoebe lanceolata</i> (Nees) Nees	5	161.4	0.08	0.14	1.06	1.27	0.40	2.73	0.91
19	<i>Eriolaena candollei</i> Wall.	3	160.5	0.08	0.08	0.64	1.27	0.40	2.31	0.77
20	<i>Eugenia albiflora</i> Duthie ex Kurz	2	400.3	0.06	0.06	0.43	0.85	0.99	2.26	0.75
21	<i>Rapanea yunnanensis</i> Mez	5	276.4	0.03	0.14	1.06	0.42	0.68	2.17	0.72
22	<i>Protium serratum</i> (Wall. ex Colebr.) Engl.	3	62.4	0.08	0.08	0.64	1.27	0.15	2.06	0.69
23	<i>Mallotus philippensis</i> (Lam.) Müll.Arg.	4	102.4	0.06	0.11	0.85	0.85	0.25	1.95	0.65
24	<i>Wendlandia tinctoria</i> (Roxb.) DC.	4	101.4	0.06	0.11	0.85	0.85	0.25	1.95	0.65
25	<i>Mangifera indica</i> L.	1	429.4	0.03	0.03	0.21	0.42	1.06	1.70	0.57

4-year fallow (DBH \geq 1 cm) (Continued)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
26	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	3	246.7	0.03	0.08	0.64	0.42	0.61	1.67	0.56
27	<i>Lagerstroemia tomentosa</i> C. Presl	2	140.7	0.06	0.06	0.43	0.85	0.35	1.62	0.54
28	<i>Stereospermum tetragonum</i> DC.	2	108.0	0.06	0.06	0.43	0.85	0.27	1.54	0.51
29	<i>Dillenia parviflora</i> Griff.	2	86.5	0.06	0.06	0.43	0.85	0.21	1.49	0.50
30	<i>Ficus semicordata</i> Buch.-Ham. ex Sm.	2	64.7	0.06	0.06	0.43	0.85	0.16	1.43	0.48
31	<i>Antidesma acidum</i> Retz.	2	64.1	0.06	0.06	0.43	0.85	0.16	1.43	0.48
32	<i>Turpinia pomifera</i> (Roxb.) DC.	2	56.7	0.06	0.06	0.43	0.85	0.14	1.41	0.47
33	<i>Colona winitii</i> (Craib) Craib	2	48.4	0.06	0.06	0.43	0.85	0.12	1.39	0.46
34	<i>Dimocarpus longan</i> Lour. subsp. longan var. longan	2	37.1	0.06	0.06	0.43	0.85	0.09	1.36	0.45
35	<i>Cratoxylum formosum</i> (Jacq.) Benth. & Hook.f. ex Dyer	2	31.2	0.06	0.06	0.43	0.85	0.08	1.35	0.45
36	<i>Castanopsis tribuloides</i> (Sm.) A.DC.	2	171.4	0.03	0.06	0.43	0.42	0.42	1.27	0.42
37	<i>Markhamia stipulata</i> (Wall.) Seem.	2	101.1	0.03	0.06	0.43	0.42	0.25	1.10	0.37
38	<i>Muntingia calabura</i> L.	1	100.3	0.03	0.03	0.21	0.42	0.25	0.88	0.29
39	<i>Aporosa octandra</i> (Buch.-Ham. ex D.Don) Vickery	1	67.7	0.03	0.03	0.21	0.42	0.17	0.80	0.27
40	<i>Spondias lakonensis</i> Pierre	1	63.9	0.03	0.03	0.21	0.42	0.16	0.79	0.26
41	<i>Engelhardtia spicata</i> Lechen ex Blume var. spicata	1	49.9	0.03	0.03	0.21	0.42	0.12	0.76	0.25
42	<i>Adenantha microsperma</i> Teijsm. & Binn.	1	23.8	0.03	0.03	0.21	0.42	0.06	0.70	0.23
43	<i>Ficus fistulosa</i> Reinw ex Blume	1	18.0	0.03	0.03	0.21	0.42	0.04	0.68	0.23

7-year fallow (DBH \geq 1 cm)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
1	<i>Quercus kingiana</i> Craib	119	57928.3	0.861	3.31	17.55	9.39	52.70	79.64	26.55
2	<i>Aporosa villosa</i> (Lindl.) Baill.	91	4214.9	0.833	2.53	13.42	9.09	3.83	26.35	8.78
3	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	31	10143.0	0.444	0.86	4.57	4.85	9.23	18.65	6.22
4	<i>Dalbergia cultrata</i> Benth.	46	4213.3	0.722	1.28	6.78	7.88	3.83	18.50	6.17
5	<i>Styrax benzoides</i> W. G. Craib	52	4132.1	0.556	1.44	7.67	6.06	3.76	17.49	5.83
6	<i>Rhus chinensis</i> Mill.	60	943.8	0.556	1.67	8.85	6.06	0.86	15.77	5.26
7	<i>Wendlandia tinctoria</i> (Roxb.) DC.	44	3129.3	0.556	1.22	6.49	6.06	2.85	15.40	5.13
8	<i>Berrya mollis</i> Wall. ex Kurz	29	3483.4	0.556	0.81	4.28	6.06	3.17	13.51	4.50
9	<i>Phyllanthus emblica</i> L.	20	472.4	0.389	0.56	2.95	4.24	0.43	7.62	2.54
10	<i>Cratoxylum cochinchinense</i> (Lour.) Blume	21	150.5	0.306	0.58	3.10	3.33	0.14	6.57	2.19
11	<i>Eugenia fruticosa</i> (Roxb. ex DC.) Roxb.	6	3044.5	0.167	0.17	0.88	1.82	2.77	5.47	1.82
12	<i>Craibiodendron stellatum</i> (Pierre) W.W.Sm.	13	1505.1	0.194	0.36	1.92	2.12	1.37	5.41	1.80

7-year fallow (DBH \geq 1 cm) (Continued)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
13	<i>Gluta usitata</i> (Wall.) Ding Hou	7	2489.9	0.139	0.19	1.03	1.52	2.27	4.81	1.60
14	<i>Sterculia balanghas</i> L.	13	85.8	0.194	0.36	1.92	2.12	0.08	4.12	1.37
15	<i>Stereospermum neuranthum</i> Kurz	5	1876.2	0.139	0.14	0.74	1.52	1.71	3.96	1.32
16	<i>Oroxylum indicum</i> (L.) Kurz	5	1144.0	0.139	0.14	0.74	1.52	1.04	3.29	1.10
17	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	5	1359.0	0.111	0.14	0.74	1.21	1.24	3.19	1.06
18	<i>Fernandoa adenophylla</i> (Wall. ex G.Don) Steenis	6	461.4	0.167	0.17	0.88	1.82	0.42	3.12	1.04
19	<i>Flacourtia indica</i> (Burm.f.) Merr.	7	939.1	0.111	0.19	1.03	1.21	0.85	3.10	1.03
20	<i>Antidesma sootepense</i> Craib	10	114.7	0.139	0.28	1.47	1.52	0.10	3.09	1.03
21	<i>Glochidion sphaerogynum</i> (Müll.Arg.) Kurz	7	123.3	0.167	0.19	1.03	1.82	0.11	2.96	0.99
22	<i>Canarium subulatum</i> Guillaumin	7	557.3	0.111	0.19	1.03	1.21	0.51	2.75	0.92
23	<i>Schima wallichii</i> Choisy	3	1085.8	0.083	0.08	0.44	0.91	0.99	2.34	0.78
24	<i>Magnolia baillonii</i> Pierre	5	80.3	0.139	0.14	0.74	1.52	0.07	2.33	0.78
25	<i>Ixora cibdela</i> Craib	8	88.9	0.083	0.22	1.18	0.91	0.08	2.17	0.72
26	<i>Anneslea fragrans</i> Wall.	3	871.4	0.083	0.08	0.44	0.91	0.79	2.14	0.71
27	<i>Cratoxylum formosum</i> (Jacq.) Benth. & Hook.f. ex Dyer	6	644.9	0.056	0.17	0.88	0.61	0.59	2.08	0.69
28	<i>Albizia lebbbeck</i> (L.) Benth.	5	49.5	0.111	0.14	0.74	1.21	0.05	1.99	0.66
29	<i>Callicarpa arborea</i> Roxb.	3	638.1	0.083	0.08	0.44	0.91	0.58	1.93	0.64
30	<i>Olea rosea</i> Craib	4	33.4	0.111	0.11	0.59	1.21	0.03	1.83	0.61
31	<i>Bombax anceps</i> Pierre var. <i>anceps</i>	2	982.0	0.056	0.06	0.29	0.61	0.89	1.79	0.60
32	<i>Colona winitii</i> (Craib) Craib	5	114.9	0.083	0.14	0.74	0.91	0.10	1.75	0.58
33	<i>Erythrina subumbrans</i> (Hassk.) Merr.	1	1344.9	0.028	0.03	0.15	0.30	1.22	1.67	0.56
34	<i>Litsea glutinosa</i> (Lour.) C.B.Rob.	4	143.3	0.083	0.11	0.59	0.91	0.13	1.63	0.54
35	<i>Gardenia sootepensis</i> Hutch.	4	100.1	0.083	0.11	0.59	0.91	0.09	1.59	0.53
36	<i>Phoebe lanceolata</i> (Nees) Nees	3	258.0	0.083	0.08	0.44	0.91	0.23	1.59	0.53
37	<i>Antidesma acidum</i> Retz.	4	27.8	0.083	0.11	0.59	0.91	0.03	1.52	0.51
38	<i>Anogeissus acuminata</i> (Roxb. ex DC.) Wall. ex Guillem. & Perr.	3	57.5	0.083	0.08	0.44	0.91	0.05	1.40	0.47
39	<i>Turpinia pomifera</i> (Roxb.) DC.	3	56.4	0.083	0.08	0.44	0.91	0.05	1.40	0.47
40	<i>Diospyros glandulosa</i> Lace	2	220.4	0.056	0.06	0.29	0.61	0.20	1.10	0.37
41	<i>Dodonaea viscosa</i> (L.) Jacq.	2	34.2	0.056	0.06	0.29	0.61	0.03	0.93	0.31
42	<i>Quercus semiserrata</i> Roxb.	1	352.6	0.028	0.03	0.15	0.30	0.32	0.77	0.26
43	<i>Spondias lakonensis</i> Pierre	1	205.6	0.028	0.03	0.15	0.30	0.19	0.64	0.21
44	<i>Vitex limonifolia</i> Wall. ex C.B.Clarke	2	25.2	0.028	0.06	0.29	0.30	0.02	0.62	0.21

Secondary Forest (DBH \geq 1 cm)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
1	<i>Schima wallichii</i> Choisy	22	46941.7	0.44	0.61	3.18	3.49	18.82	25.49	8.50
2	<i>Castanopsis diversifolia</i> (Kurz) King ex Hook.f.	28	40396.1	0.53	0.78	4.05	4.15	16.20	24.39	8.13
3	<i>Castanopsis tribuloides</i> (Sm.) A.DC.	36	33109.2	0.56	1.00	5.20	4.37	13.28	22.84	7.61
4	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	47	15343.0	0.69	1.31	6.79	5.46	6.15	18.40	6.13
5	<i>Phoebe lanceolata</i> (Nees) Nees	48	2483.8	0.64	1.33	6.94	5.02	1.00	12.95	4.32
6	<i>Macaranga kurzii</i> (Kuntze) Pax & K.Hoffm.	59	388.2	0.36	1.64	8.53	2.84	0.16	11.52	3.84
7	<i>Canarium subulatum</i> Guillaumin	14	15391.2	0.39	0.39	2.02	3.06	6.17	11.25	3.75
8	<i>Polyalthia cerasoides</i> (Roxb.) Bedd.	36	1808.7	0.56	1.00	5.20	4.37	0.73	10.29	3.43
9	<i>Albizia chinensis</i> (Osbeck) Merr.	9	16729.5	0.19	0.25	1.30	1.53	6.71	9.54	3.18
10	<i>Lindera meisneri</i> King ex Hook. f.	31	303.5	0.50	0.86	4.48	3.93	0.12	8.53	2.84
11	<i>Eurya acuminata</i> DC.	22	2892.9	0.44	0.61	3.18	3.49	1.16	7.83	2.61
12	<i>Helicia nilagirica</i> Bedd.	13	8303.6	0.28	0.36	1.88	2.18	3.33	7.39	2.46
13	<i>Wendlandia tinctoria</i> (Roxb.) DC.	17	3882.1	0.39	0.47	2.46	3.06	1.56	7.07	2.36
14	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	11	7352.8	0.25	0.31	1.59	1.97	2.95	6.50	2.17
15	<i>Archidendron clypearia</i> (Jack) I.C.Nielsen	18	1181.3	0.42	0.50	2.60	3.28	0.47	6.35	2.12
16	<i>Eugenia fruticosa</i> (Roxb. ex DC.) Roxb.	14	5115.6	0.25	0.39	2.02	1.97	2.05	6.04	2.01
17	<i>Castanopsis lucida</i> (Nees) Soepadmo	14	2573.2	0.22	0.39	2.02	1.75	1.03	4.80	1.60
18	<i>Alstonia rostrata</i> C.E.C.Fisch.	17	382.7	0.28	0.47	2.46	2.18	0.15	4.79	1.60
19	<i>Canthium glabrum</i> Blume	15	445.6	0.31	0.42	2.17	2.40	0.18	4.75	1.58
20	<i>Cinnamomum camphora</i> (L.) J.Presl	19	307.5	0.19	0.53	2.75	1.53	0.12	4.40	1.47
21	<i>Styrax benzoides</i> W. G. Craib	9	1417.9	0.25	0.25	1.30	1.97	0.57	3.83	1.28
22	<i>Aporosa villosa</i> (Lindl.) Baill.	9	1793.5	0.22	0.25	1.30	1.75	0.72	3.77	1.26
23	<i>Glochidion sphaerogynum</i> (Müll.Arg.) Kurz	9	809.2	0.22	0.25	1.30	1.75	0.32	3.37	1.12
24	<i>Magnolia baillonii</i> Pierre	8	385.1	0.22	0.22	1.16	1.75	0.15	3.06	1.02
25	<i>Shorea roxburghii</i> G.Don	5	2939.6	0.14	0.14	0.72	1.09	1.18	2.99	1.00
26	<i>Turpinia pomifera</i> (Roxb.) DC.	8	1074.0	0.17	0.22	1.16	1.31	0.43	2.90	0.97
27	<i>Glochidion rubrum</i> Blume	10	105.7	0.17	0.28	1.45	1.31	0.04	2.80	0.93
28	<i>Macaranga denticulata</i> (Blume) Müll.Arg.	11	100.9	0.11	0.31	1.59	0.87	0.04	2.50	0.83
29	<i>Eugenia cumini</i> (L.) Druce var. cumini	5	2257.2	0.11	0.14	0.72	0.87	0.91	2.50	0.83
30	<i>Polyalthia viridis</i> W. G. Craib	4	2152.6	0.11	0.11	0.58	0.87	0.86	2.31	0.77
31	<i>Olea rosea</i> Craib	6	1355.1	0.11	0.17	0.87	0.87	0.54	2.28	0.76
32	<i>Antidesma sootepense</i> Craib	7	944.7	0.11	0.19	1.01	0.87	0.38	2.26	0.75
33	<i>Heynea trijuga</i> Roxb. ex Sims	1	4711.9	0.03	0.03	0.14	0.22	1.89	2.25	0.75
34	<i>Meliosma simplicifolia</i> (Roxb.) Walp.	6	113.4	0.17	0.17	0.87	1.31	0.05	2.22	0.74

Secondary Forest (DBH \geq 1 cm) (Continued)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
35	<i>Semecarpus albescens</i> Kurz	5	985.0	0.14	0.14	0.72	1.09	0.39	2.21	0.74
36	<i>Buchanania cochinchinensis</i> (Lour.) M.R.Almeida	4	2148.6	0.08	0.11	0.58	0.66	0.86	2.09	0.70
37	<i>Rapanea yunnanensis</i> Mez	5	511.6	0.14	0.14	0.72	1.09	0.21	2.02	0.67
38	<i>Sarcosperma arboreum</i> Hook.f.	5	712.3	0.11	0.14	0.72	0.87	0.29	1.88	0.63
39	<i>Garcinia cowa</i> Roxb. ex Choisy	5	73.3	0.14	0.14	0.72	1.09	0.03	1.84	0.61
40	<i>Garcinia xanthochymus</i> Hook.f. ex T.Anderson	5	47.3	0.14	0.14	0.72	1.09	0.02	1.83	0.61
41	<i>Knema angustifolia</i> (Roxb.) Warb.	5	75.4	0.11	0.14	0.72	0.87	0.03	1.63	0.54
42	<i>Dillenia parviflora</i> Griff.	3	1211.8	0.08	0.08	0.43	0.66	0.49	1.57	0.52
43	<i>Markhamia stipulata</i> (Wall.) Seem.	4	176.6	0.11	0.11	0.58	0.87	0.07	1.52	0.51
44	<i>Dalbergia cana</i> Kurz	3	1601.2	0.06	0.08	0.43	0.44	0.64	1.51	0.50
45	<i>Stereospermum neuranthum</i> Kurz	4	73.8	0.11	0.11	0.58	0.87	0.03	1.48	0.49
46	<i>Magnolia hodgsonii</i> (Hook.f. & Thomson) H.Keng	3	889.2	0.08	0.08	0.43	0.66	0.36	1.45	0.48
47	<i>Spondias pinnata</i> (L.f.) Kurz	3	819.1	0.08	0.08	0.43	0.66	0.33	1.42	0.47
48	<i>Celtis tetrandra</i> Roxb.	2	1624.8	0.06	0.06	0.29	0.44	0.65	1.38	0.46
49	<i>Stereospermum colais</i> (B.-H. ex Dillw.) Mabb.	3	599.2	0.08	0.08	0.43	0.66	0.24	1.33	0.44
50	<i>Elaeocarpus stipularis</i> Blume	1	2277.3	0.03	0.03	0.14	0.22	0.91	1.28	0.43
51	<i>Dalbergia oliveri</i> Prain	3	848.0	0.06	0.08	0.43	0.44	0.34	1.21	0.40
52	<i>Castanopsis calathiformis</i> (Skan) Rehder & E.H.Wilson	2	1128.9	0.06	0.06	0.29	0.44	0.45	1.18	0.39
53	<i>Actinodaphne henryi</i> Gamble	3	45.8	0.08	0.08	0.43	0.66	0.02	1.11	0.37
54	<i>Engelhardtia serrata</i> Blume	3	45.2	0.08	0.08	0.43	0.66	0.02	1.11	0.37
55	<i>Grewia eriocarpa</i> Juss.	2	687.3	0.06	0.06	0.29	0.44	0.28	1.00	0.33
56	<i>Aporosa octandra</i> (Buch.-Ham. ex D.Don) Vickery	2	423.7	0.06	0.06	0.29	0.44	0.17	0.90	0.30
57	<i>Phyllanthus emblica</i> L.	2	386.0	0.06	0.06	0.29	0.44	0.15	0.88	0.29
58	<i>Lithocarpus garrettianus</i> (Craib) A.Camus	3	19.0	0.06	0.08	0.43	0.44	0.01	0.88	0.29
59	<i>Quercus kerrii</i> Craib	1	1243.4	0.03	0.03	0.14	0.22	0.50	0.86	0.29
60	<i>Xanthophyllum virens</i> Roxb.	1	1210.5	0.03	0.03	0.14	0.22	0.49	0.85	0.28
61	<i>Protium serratum</i> (Wall. ex Colebr.) Engl.	2	648.1	0.03	0.06	0.29	0.22	0.26	0.77	0.26
62	<i>Artocarpus lacucha</i> Buch.-Ham.	2	11.1	0.06	0.06	0.29	0.44	0.00	0.73	0.24
63	<i>Albizia odoratissima</i> (L.f.) Benth.	1	782.6	0.03	0.03	0.14	0.22	0.31	0.68	0.23
64	<i>Sapindus rarak</i> DC.	1	563.7	0.03	0.03	0.14	0.22	0.23	0.59	0.20
65	<i>Litsea lancifolia</i> (Roxb. ex Nees) Fern.-Vill.	1	467.7	0.03	0.03	0.14	0.22	0.19	0.55	0.18
66	<i>Symplocos macrophylla</i> Wall. ex DC. ssp. <i>sulcata</i> (Kurz) Noot. var. <i>sulcata</i>	1	270.8	0.03	0.03	0.14	0.22	0.11	0.47	0.16
67	<i>Schoepfia fragrans</i> Wall.	1	252.5	0.03	0.03	0.14	0.22	0.10	0.46	0.15

Secondary Forest (DBH \geq 1 cm) (Continued)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
68	<i>Lepisanthes tetraphylla</i> Radlk.	1	248.1	0.03	0.03	0.14	0.22	0.10	0.46	0.15
69	<i>Litsea monopetala</i> (Roxb.) Pers.	1	198.9	0.03	0.03	0.14	0.22	0.08	0.44	0.15
70	<i>Dalbergia ovata</i> Benth.	1	185.9	0.03	0.03	0.14	0.22	0.07	0.44	0.15
71	<i>Memecylon scutellatum</i> (Lour.) Hook. & Arn.	1	132.7	0.03	0.03	0.14	0.22	0.05	0.42	0.14
72	<i>Toona ciliata</i> M. Roem.	1	71.6	0.03	0.03	0.14	0.22	0.03	0.39	0.13
73	<i>Diospyros glandulosa</i> Lace	1	67.7	0.03	0.03	0.14	0.22	0.03	0.39	0.13
74	<i>Calophyllum inophyllum</i> L.	1	63.9	0.03	0.03	0.14	0.22	0.03	0.39	0.13
75	<i>Cinnamomum verum</i> J.Presl	1	40.3	0.03	0.03	0.14	0.22	0.02	0.38	0.13
76	<i>Eriolaena candollei</i> Wall.	1	12.4	0.03	0.03	0.14	0.22	0.00	0.37	0.12
77	<i>Ficus hispida</i> L.f.	1	12.4	0.03	0.03	0.14	0.22	0.00	0.37	0.12
78	<i>Ficus hirta</i> Vahl	1	9.3	0.03	0.03	0.14	0.22	0.00	0.37	0.12
79	<i>Pterocarpus macrocarpus</i> Kurz	1	5.5	0.03	0.03	0.14	0.22	0.00	0.37	0.12
80	<i>Antidesma acidum</i> Retz.	1	3.2	0.03	0.03	0.14	0.22	0.00	0.36	0.12

7-year fallow (DBH \geq 4.5 cm)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
1	<i>Quercus kingiana</i> Craib	112	57787.6	0.86	3.11	40.29	20.53	57.29	118.11	39.37
2	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	24	9955.9	0.39	0.67	8.63	9.27	9.87	27.77	9.26
3	<i>Dalbergia cultrata</i> Benth.	19	3572.3	0.42	0.53	6.83	9.93	3.54	20.31	6.77
4	<i>Wendlandia tinctoria</i> (Roxb.) DC.	23	2637.8	0.39	0.64	8.27	9.27	2.61	20.16	6.72
5	<i>Aporosa villosa</i> (Lindl.) Baill.	14	2428.5	0.25	0.39	5.04	5.96	2.41	13.40	4.47
6	<i>Craibiodendron stellatum</i> (Pierre) W.W.Sm.	12	1454.7	0.17	0.33	4.32	3.97	1.44	9.73	3.24
7	<i>Syzygium fruticosum</i> DC.	6	3015.3	0.17	0.17	2.16	3.97	2.99	9.12	3.04
8	<i>Berrya mollis</i> Wall. ex Kurz	6	3165.1	0.14	0.17	2.16	3.31	3.14	8.61	2.87
9	<i>Gluta usitata</i> (Wall.) Ding Hou	7	2489.9	0.14	0.19	2.52	3.31	2.47	8.30	2.77
10	<i>Styrax benzoides</i> W. G. Craib	7	1496.2	0.14	0.19	2.52	3.31	1.48	7.31	2.44
11	<i>Oroxylum indicum</i> (L.) Kurz	5	1144.0	0.14	0.14	1.80	3.31	1.13	6.24	2.08
12	<i>Stereospermum neuranthum</i> Kurz	4	1815.4	0.11	0.11	1.44	2.65	1.80	5.89	1.96
13	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	4	1348.5	0.08	0.11	1.44	1.99	1.34	4.76	1.59
14	<i>Flacourtia indica</i> (Burm.f.) Merr.	5	805.4	0.08	0.14	1.80	1.99	0.80	4.58	1.53
15	<i>Anneslea fragrans</i> Wall.	3	871.4	0.08	0.08	1.08	1.99	0.86	3.93	1.31
16	<i>Canarium subulatum</i> Guillaumin	4	508.2	0.08	0.11	1.44	1.99	0.50	3.93	1.31
17	<i>Schima wallichii</i> Choisy	2	1067.5	0.06	0.06	0.72	1.32	1.06	3.10	1.03
18	<i>Bombax anceps</i> Pierre var. <i>anceps</i>	2	982.0	0.06	0.06	0.72	1.32	0.97	3.02	1.01

7-year fallow (DBH \geq 4.5 cm) (Continued)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
19	<i>Phyllanthus emblica</i> L.	3	214.9	0.06	0.08	1.08	1.32	0.21	2.62	0.87
20	<i>Callicarpa arborea</i> Roxb.	2	559.9	0.06	0.06	0.72	1.32	0.56	2.60	0.87
21	<i>Fernandoa adenophylla</i> (Wall. ex G.Don) Steenis	2	364.5	0.06	0.06	0.72	1.32	0.36	2.41	0.80
22	<i>Erythrina subumbrans</i> (Hassk.) Merr.	1	1344.9	0.03	0.03	0.36	0.66	1.33	2.36	0.79
23	<i>Cratoxylum formosum</i> (Jacq.) Benth. & Hook.f. ex Dyer	3	614.3	0.03	0.08	1.08	0.66	0.61	2.35	0.78
24	<i>Ocotea lancifolia</i> (Schott) Mez	2	230.2	0.06	0.06	0.72	1.32	0.23	2.27	0.76
25	<i>Quercus semiserrata</i> Roxb.	1	352.6	0.03	0.03	0.36	0.66	0.35	1.37	0.46
26	<i>Diospyros glandulosa</i> Lace	1	217.7	0.03	0.03	0.36	0.66	0.22	1.24	0.41
27	<i>Spondias lakonensis</i> Pierre	1	205.6	0.03	0.03	0.36	0.66	0.20	1.23	0.41
28	<i>Litsea glutinosa</i> (Lour.) C.B.Rob.	1	97.5	0.03	0.03	0.36	0.66	0.10	1.12	0.37
29	<i>Colona winitii</i> (Craib) Craib	1	79.8	0.03	0.03	0.36	0.66	0.08	1.10	0.37
30	<i>Gardenia sootepensis</i> Hutch.	1	43.3	0.03	0.03	0.36	0.66	0.04	1.06	0.35

Secondary Forest (DBH \geq 4.5 cm)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
1	<i>Castanopsis tribuloides</i> (Sm.) A.DC.	34	33044.5	0.53	0.94	10.40	7.51	13.48	31.39	10.46
2	<i>Schima wallichii</i> Choisy	18	46879.9	0.36	0.50	5.50	5.14	19.13	29.77	9.92
3	<i>Castanopsis diversifolia</i> (Kurz) King ex Hook.f.	20	40319.4	0.39	0.56	6.12	5.53	16.45	28.10	9.37
4	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	34	15106.0	0.58	0.94	10.40	8.30	6.16	24.86	8.29
5	<i>Canarium subulatum</i> Guillaumin	14	15391.2	0.39	0.39	4.28	5.53	6.28	16.09	5.36
6	<i>Albizia chinensis</i> (Osbeck) Merr.	7	16709.6	0.17	0.19	2.14	2.37	6.82	11.33	3.78
7	<i>Helicia nilagirica</i> Bedd.	12	8287.7	0.28	0.33	3.67	3.95	3.38	11.00	3.67
8	<i>Wendlandia tinctoria</i> (Roxb.) DC.	13	3836.0	0.31	0.36	3.98	4.35	1.57	9.89	3.30
9	<i>Ocotea lancifolia</i> (Schott) Mez	14	2112.2	0.31	0.39	4.28	4.35	0.86	9.49	3.16
10	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	10	7299.4	0.22	0.28	3.06	3.16	2.98	9.20	3.07
11	<i>Eurya acuminata</i> DC.	13	2766.9	0.25	0.36	3.98	3.56	1.13	8.66	2.89
12	<i>Castanopsis lucida</i> (Nees) Soepadmo	14	2573.2	0.22	0.39	4.28	3.16	1.05	8.49	2.83
13	<i>Syzygium fruticosum</i> DC.	9	5078.5	0.17	0.25	2.75	2.37	2.07	7.20	2.40
14	<i>Styrax benzoides</i> W. G. Craib	6	1346.3	0.17	0.17	1.83	2.37	0.55	4.76	1.59
15	<i>Archidendron clypearia</i> (Jack) I.C.Nielsen	6	1039.4	0.17	0.17	1.83	2.37	0.42	4.63	1.54
16	<i>Polyalthia cerasoides</i> (Roxb.) Bedd.	6	1489.1	0.14	0.17	1.83	1.98	0.61	4.42	1.47
17	<i>Antidesma sootepense</i> Craib	7	944.7	0.11	0.19	2.14	1.58	0.39	4.11	1.37
18	<i>Shorea roxburghii</i> G.Don	4	2905.1	0.11	0.11	1.22	1.58	1.19	3.99	1.33

Secondary Forest (DBH \geq 4.5 cm) (Continued)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
19	<i>Polyalthia viridis</i> W. G. Craib	4	2152.6	0.11	0.11	1.22	1.58	0.88	3.68	1.23
20	<i>Turpinia pomifera</i> (Roxb.) DC.	5	1035.2	0.11	0.14	1.53	1.58	0.42	3.53	1.18
21	<i>Aporosa villosa</i> (Lindl.) Baill.	4	1743.2	0.11	0.11	1.22	1.58	0.71	3.52	1.17
22	<i>Sarcosperma arboreum</i> Hook.f.	5	712.3	0.11	0.14	1.53	1.58	0.29	3.40	1.13
23	<i>Myrsine seguinii</i> H. Lévl.	4	498.9	0.11	0.11	1.22	1.58	0.20	3.01	1.00
24	<i>Buchanania cochinchinensis</i> (Lour.) M.R.Almeida	3	2146.4	0.08	0.08	0.92	1.19	0.88	2.98	0.99
25	<i>Heynea trijuga</i> Roxb. ex Sims	1	4711.9	0.03	0.03	0.31	0.40	1.92	2.62	0.87
26	<i>Syzygium cumini</i> (L.) Skeels	3	2221.8	0.06	0.08	0.92	0.79	0.91	2.61	0.87
27	<i>Olea rosea</i> Craib	4	1338.2	0.06	0.11	1.22	0.79	0.55	2.56	0.85
28	<i>Semecarpus albescens</i> Kurz	3	945.5	0.08	0.08	0.92	1.19	0.39	2.49	0.83
29	<i>Magnolia hodgsonii</i> (Hook.f. & Thomson) H.Keng	3	889.2	0.08	0.08	0.92	1.19	0.36	2.47	0.82
30	<i>Stereospermum tetragonum</i> DC.	3	599.2	0.08	0.08	0.92	1.19	0.24	2.35	0.78
31	<i>Celtis tetrandra</i> Roxb.	2	1624.8	0.06	0.06	0.61	0.79	0.66	2.07	0.69
32	<i>Dalbergia oliveri</i> Prain	3	848.0	0.06	0.08	0.92	0.79	0.35	2.05	0.68
33	<i>Dalbergia cana</i> Kurz	2	1585.6	0.06	0.06	0.61	0.79	0.65	2.05	0.68
34	<i>Dillenia parviflora</i> Griff.	2	1200.0	0.06	0.06	0.61	0.79	0.49	1.89	0.63
35	<i>Castanopsis calathiformis</i> (Skan) Rehder & E.H.Wilson	2	1128.9	0.06	0.06	0.61	0.79	0.46	1.86	0.62
36	<i>Glochidion sphaerogynum</i> (Müll.Arg.) Kurz	2	721.5	0.06	0.06	0.61	0.79	0.29	1.70	0.57
37	<i>Grewia eriocarpa</i> Juss.	2	687.3	0.06	0.06	0.61	0.79	0.28	1.68	0.56
38	<i>Elaeocarpus stipularis</i> Blume	1	2277.3	0.03	0.03	0.31	0.40	0.93	1.63	0.54
39	<i>Aporosa octandra</i> (Buch.-Ham. ex D.Don) Vickery	2	423.7	0.06	0.06	0.61	0.79	0.17	1.58	0.53
40	<i>Phyllanthus emblica</i> L.	2	386.0	0.06	0.06	0.61	0.79	0.16	1.56	0.52
41	<i>Magnolia baillonii</i> Pierre	2	290.1	0.06	0.06	0.61	0.79	0.12	1.52	0.51
42	<i>Markhamia stipulata</i> (Wall.) Seem.	2	155.7	0.06	0.06	0.61	0.79	0.06	1.47	0.49
43	<i>Protium serratum</i> (Wall. ex Colebr.) Engl.	2	648.1	0.03	0.06	0.61	0.40	0.26	1.27	0.42
44	<i>Quercus kerrii</i> Craib	1	1243.4	0.03	0.03	0.31	0.40	0.51	1.21	0.40
45	<i>Xanthophyllum virens</i> Roxb.	1	1210.5	0.03	0.03	0.31	0.40	0.49	1.19	0.40
46	<i>Alstonia rostrata</i> C.E.C.Fisch.	2	172.8	0.03	0.06	0.61	0.40	0.07	1.08	0.36
47	<i>Spondias pinnata</i> (L.f.) Kurz	1	809.1	0.03	0.03	0.31	0.40	0.33	1.03	0.34
48	<i>Albizia odoratissima</i> (L.f.) Benth.	1	782.6	0.03	0.03	0.31	0.40	0.32	1.02	0.34
49	<i>Sapindus rarak</i> DC.	1	563.7	0.03	0.03	0.31	0.40	0.23	0.93	0.31
50	<i>Litsea lancifolia</i> (Roxb. ex Nees) Fern.-Vill.	1	467.7	0.03	0.03	0.31	0.40	0.19	0.89	0.30
51	<i>Symplocos sulcata</i> Kurz	1	270.8	0.03	0.03	0.31	0.40	0.11	0.81	0.27
52	<i>Schoepfia fragrans</i> Wall.	1	252.5	0.03	0.03	0.31	0.40	0.10	0.80	0.27

Secondary Forest (DBH \geq 4.5 cm) (Continued)

No.	Species name	N	BA	Frequency	Density	RD	RF	RDo	IVI	%IVI
53	<i>Lepisanthes tetraphylla</i> Radlk.	1	248.1	0.03	0.03	0.31	0.40	0.10	0.80	0.27
54	<i>Canthium glabrum</i> Blume	1	244.3	0.03	0.03	0.31	0.40	0.10	0.80	0.27
55	<i>Litsea monopetala</i> (Roxb.) Pers.	1	198.9	0.03	0.03	0.31	0.40	0.08	0.78	0.26
56	<i>Dalbergia ovata</i> Benth.	1	185.9	0.03	0.03	0.31	0.40	0.08	0.78	0.26
57	<i>Memecylon scutellatum</i> (Lour.) Hook. & Arn.	1	132.7	0.03	0.03	0.31	0.40	0.05	0.76	0.25
58	<i>Toona ciliata</i> M. Roem.	1	71.6	0.03	0.03	0.31	0.40	0.03	0.73	0.24
59	<i>Diospyros glandulosa</i> Lace	1	67.7	0.03	0.03	0.31	0.40	0.03	0.73	0.24
60	<i>Calophyllum inophyllum</i> L.	1	63.9	0.03	0.03	0.31	0.40	0.03	0.73	0.24

Supplementary table S3

Description of 78 trees (136 destructive samples including coppices)

“No.” is the ID number of the destructively sampled tree, “Site” is study site; 4y is 4-year-fallow, 7y is 7-year-fallow, and SF is secondary forest.

“Code” is destructive inventory code. “Type” distinguishes between tree main stems (T) and coppices (C). “D” is diameter at breast height in cm; “H” is height in m; “WD” is wood density from direct measurement in g cm⁻³, “WD_a” is average of WD of each species in g cm⁻³; “AGB” is aboveground biomass in kg and “AC” is mean carbon concentration (%C±SD).

No.	Site	Type	Code	Species	D	H	WD	WD _a	AGB	AC
1	4y	T	4.1y	<i>Phyllanthus emblica</i> L.	5.1	5	0.5	0.5	3.52	44.2±0.79
2	4y	C	4.1y	<i>Phyllanthus emblica</i> L.	3.8	4.4	0.49	0.5	2.39	44.2±0.79
3	4y	C	4.1y	<i>Phyllanthus emblica</i> L.	3.7	4	0.49	0.5	1.90	44.2±0.79
4	4y	T	4.2y	<i>Phyllanthus emblica</i> L.	3.2	5.58	0.46	0.5	1.74	44.11±0.46
5	4y	C	4.2y	<i>Phyllanthus emblica</i> L.	2.2	4.36	0.39	0.5	0.52	44.11±0.46
6	4y	C	4.2y	<i>Phyllanthus emblica</i> L.	2.2	4.28	0.45	0.5	0.58	44.11±0.46
7	4y	C	4.2y	<i>Phyllanthus emblica</i> L.	3	4.38	0.46	0.5	0.73	44.11±0.46
8	4y	C	4.2y	<i>Phyllanthus emblica</i> L.	2.4	4.57	0.59	0.5	0.77	44.11±0.46
9	4y	C	4.2y	<i>Phyllanthus emblica</i> L.	2.2	3.98	0.56	0.5	0.61	44.11±0.46
10	4y	C	4.3y	<i>Phyllanthus emblica</i> L.	2.9	3.9	0.56	0.5	0.94	44.11±0.46
11	4y	T	4.3y	<i>Phyllanthus emblica</i> L.	3.7	4.25	0.46	0.5	1.41	43.72±0.59
12	4y	C	4.3y	<i>Phyllanthus emblica</i> L.	1.9	3.25	0.45	0.5	0.52	43.72±0.59
13	4y	C	4.3y	<i>Phyllanthus emblica</i> L.	1.8	3.25	0.56	0.5	0.42	43.72±0.59
14	4y	C	4.3y	<i>Phyllanthus emblica</i> L.	3.2	3.9	0.47	0.5	1.68	43.72±0.59
15	4y	C	4.3y	<i>Phyllanthus emblica</i> L.	3.2	4.1	0.52	0.5	1.78	43.72±0.59
16	4y	C	4.3y	<i>Phyllanthus emblica</i> L.	2.5	4.13	0.46	0.5	1.00	43.72±0.59

No.	Site	Type	Code	Species	D	H	WD	WD _a	AGB	AC
17	4y	C	4.3y	<i>Phyllanthus emblica</i> L.	2.6	3.77	0.52	0.5	1.28	43.72±0.59
18	4y	T	4.4y	<i>Aporosa villosa</i> (Lindl.) Baill.	4.1	3.95	0.45	0.51	2.04	42.52±1.7
19	4y	C	4.4y	<i>Aporosa villosa</i> (Lindl.) Baill.	3.4	4.18	0.43	0.51	1.88	42.52±1.7
20	4y	C	4.4y	<i>Aporosa villosa</i> (Lindl.) Baill.	3.7	4	0.42	0.51	2.12	42.52±1.7
21	4y	C	4.4y	<i>Aporosa villosa</i> (Lindl.) Baill.	3.4	4.1	0.58	0.51	1.48	42.52±1.7
22	4y	C	4.4y	<i>Aporosa villosa</i> (Lindl.) Baill.	2.5	3.62	0.53	0.51	1.05	42.52±1.7
23	4y	C	4.4y	<i>Aporosa villosa</i> (Lindl.) Baill.	2.2	2.1	0.54	0.51	0.56	42.52±1.7
24	4y	C	4.5y	<i>Aporosa villosa</i> (Lindl.) Baill.	2.9	3.17	0.47	0.51	1.26	42.52±1.7
25	4y	T	4.5y	<i>Aporosa villosa</i> (Lindl.) Baill.	3.2	3.71	0.53	0.51	1.50	42.6±1.84
26	4y	C	4.5y	<i>Aporosa villosa</i> (Lindl.) Baill.	1.9	2.89	0.46	0.51	0.74	42.6±1.84
27	4y	C	4.5y	<i>Aporosa villosa</i> (Lindl.) Baill.	1.9	3.1	0.45	0.51	0.77	42.6±1.84
28	4y	C	4.5y	<i>Aporosa villosa</i> (Lindl.) Baill.	2.6	3.68	0.48	0.51	1.13	42.6±1.84
29	4y	C	4.5y	<i>Aporosa villosa</i> (Lindl.) Baill.	1.4	2.44	0.51	0.51	0.42	42.6±1.84
30	4y	T	4.6y	<i>Aporosa villosa</i> (Lindl.) Baill.	2.9	3.53	0.49	0.51	1.19	42.98±1.94
31	4y	C	4.6y	<i>Aporosa villosa</i> (Lindl.) Baill.	2.3	3.53	0.55	0.51	0.81	42.98±1.94
32	4y	C	4.6y	<i>Aporosa villosa</i> (Lindl.) Baill.	2.6	3.31	0.54	0.51	0.84	42.98±1.94
33	4y	C	4.6y	<i>Aporosa villosa</i> (Lindl.) Baill.	1.6	3.09	0.48	0.51	0.45	42.98±1.94
34	4y	C	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	3.1	4.33	0.51	0.65	1.65	44.93±1.75
35	4y	C	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	5.7	4.63	0.55	0.65	5.57	44.93±1.75
36	4y	T	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	6.4	4.32	0.53	0.65	7.46	44.93±1.75
37	4y	C	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	4.3	4.31	0.53	0.65	3.78	44.93±1.75
38	4y	C	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	4.1	4.11	0.56	0.65	2.65	44.93±1.75
39	4y	C	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	1.4	3.05	0.64	0.65	0.46	44.93±1.75
40	4y	C	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	1.2	3.12	0.72	0.65	0.47	44.93±1.75
41	4y	C	4.7y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	1	2.3	0.7	0.65	0.20	44.93±1.75
42	4y	T	4.8y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	4.5	4.63	0.6	0.65	3.82	45.18±0.91
43	4y	C	4.8y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	3.7	4.68	0.58	0.65	3.29	45.18±0.91

No.	Site	Type	Code	Species	D	H	WD	WD _a	AGB	AC
44	4y	C	4.8y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	2.2	3.68	0.49	0.65	1.11	45.18±0.91
45	4y	T	4.9y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	3.2	3.2	0.55	0.65	1.78	44.6±0.56
46	4y	C	4.9y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	2	3.11	0.61	0.65	0.86	44.6±0.56
47	4y	C	4.9y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	1.3	2.74	0.5	0.65	0.35	44.6±0.56
48	4y	T	4.10y	<i>Ilex umbellulata</i> (Wall.) Loes.	3.8	4.2	0.51	0.44	2.90	44.93±0.44
49	4y	C	4.10y	<i>Ilex umbellulata</i> (Wall.) Loes.	1	2.3	0.39	0.44	0.37	44.93±0.44
50	4y	T	4.11y	<i>Ilex umbellulata</i> (Wall.) Loes.	4.1	4.73	0.42	0.44	2.87	44.69±0.83
51	4y	C	4.11y	<i>Ilex umbellulata</i> (Wall.) Loes.	2.4	3.85	0.47	0.44	0.94	44.69±0.83
52	4y	C	4.11y	<i>Ilex umbellulata</i> (Wall.) Loes.	1	2.34	0.39	0.44	0.47	44.69±0.83
53	4y	T	4.12y	<i>Ilex umbellulata</i> (Wall.) Loes.	3.9	4.62	0.44	0.44	2.97	45.31±1.27
54	4y	C	4.12y	<i>Ilex umbellulata</i> (Wall.) Loes.	3.5	4.83	0.41	0.44	2.28	45.31±1.27
55	4y	T	4.13y	<i>Eugenia fruticosa</i> (DC.) Roxb.	2.7	3.02	0.41	0.44	1.01	44.79±0.61
56	4y	C	4.13y	<i>Eugenia fruticosa</i> (DC.) Roxb.	2.5	3.06	0.52	0.44	1.16	44.79±0.61
57	4y	C	4.13y	<i>Eugenia fruticosa</i> (DC.) Roxb.	1.6	2.21	0.43	0.44	0.53	44.79±0.61
58	4y	C	4.13y	<i>Eugenia fruticosa</i> (DC.) Roxb.	1.1	2.36	0.47	0.44	0.15	44.79±0.61
59	4y	T	4.14y	<i>Canarium subulatum</i> Guillaumin	2.7	3.76	0.32	0.41	0.58	43.61±0.52
60	4y	T	4.15y	<i>Wendlandia tinctoria</i> (Roxb.) DC.	2.1	3.57	0.63	0.55	0.72	45.86±1.11
61	4y	C	4.15y	<i>Wendlandia tinctoria</i> (Roxb.) DC.	1.4	2.84	0.52	0.55	0.37	45.86±1.11
62	4y	T	4.16y	<i>Schima wallichii</i> Choisy	4.1	5.18	0.54	0.53	3.98	45.83±1.77
63	4y	C	4.16y	<i>Schima wallichii</i> Choisy	3.5	4.8	0.58	0.53	3.13	45.83±1.77
64	4y	C	4.16y	<i>Schima wallichii</i> Choisy	3.2	5.1	0.52	0.53	2.42	45.83±1.77
65	4y	C	4.16y	<i>Schima wallichii</i> Choisy	2.2	3.9	0.58	0.53	0.77	45.83±1.77
66	4y	T	4.17y	<i>Styrax benzoides</i> W. G. Craib	4.1	5.28	0.53	0.58	3.75	45.22±1.45
67	4y	T	4.18y	<i>Phoebe lanceolata</i> (Nees) Nees	3.6	3.8	0.49	0.52	1.58	45.86±1.72
68	4y	C	4.19y	<i>Ficus semicordata</i> Buch.-Ham. ex Sm.	2.1	3.9	0.31	0.36	0.49	41.26±3.16
69	4y	T	4.19y	<i>Ficus semicordata</i> Buch.-Ham. ex Sm.	3.3	4	0.4	0.36	1.84	41.26±3.16
70	4y	T	4.20y	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	5.2	4.54	0.45	0.59	4.11	45.42±0.53

No.	Site	Type	Code	Species	D	H	WD	WD _a	AGB	AC
71	4y	C	4.20y	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	5.1	4.95	0.48	0.59	3.75	45.42±0.53
72	4y	T	4.21y	<i>Ficus fistulosa</i> Reinw. ex Blume	1.9	3.3	0.23	0.24	0.34	39.43±3.87
73	4y	C	4.21y	<i>Ficus fistulosa</i> Reinw. ex Blume	1.7	3.2	0.25	0.24	0.31	39.43±3.87
74	4y	C	4.21y	<i>Ficus fistulosa</i> Reinw. ex Blume	1.3	3.05	0.25	0.24	0.21	39.43±3.87
75	7y	T	7.1y	<i>Quercus kingiana</i> Craib	32.9	13.6	0.62	0.58	747.53	45.38±1.01
76	7y	T	7.2y	<i>Aporosa villosa</i> (Lindl.) Baill.	15.2	9.25	0.55	0.51	46.39	43.67±1.71
77	7y	T	7.3y	<i>Quercus kingiana</i> Craib	18.5	10.33	0.65	0.58	128.08	45.18±1.27
78	7y	T	7.4y	<i>Eugenia fruticosa</i> (DC.) Roxb.	15.1	8.74	0.5	0.49	46.94	45.42±0.67
79	7y	T	7.5y	<i>Dalbergia cultrata</i> Benth.	10.8	8.9	0.51	0.53	23.28	44.5±0.95
80	7y	T	7.6y	<i>Quercus kingiana</i> Craib	10.5	9.3	0.6	0.58	30.31	45.23±1.24
81	7y	T	7.7y	<i>Phoebe lanceolata</i> (Nees) Nees	6.7	6.57	0.64	0.52	12.68	45.98±1.56
82	7y	T	7.8y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	7.6	6.6	0.66	0.65	14.06	45.1±1.26
83	7y	T	7.9y	<i>Quercus semiserrata</i> Roxb.	10.8	8.7	0.63	0.63	29.92	44.7±0.61
84	7y	C	7.10y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	8.3	8.1	0.67	0.65	20.46	45.21±1.05
85	7y	T	7.10y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	9.3	8.5	0.68	0.65	25.72	45.21±1.05
86	7y	C	7.11y	<i>Quercus kingiana</i> Craib	7.3	5.25	0.52	0.58	8.09	44.36±0.78
87	7y	T	7.11y	<i>Quercus kingiana</i> Craib	9.4	8.32	0.61	0.58	19.09	44.36±0.78
88	7y	T	7.12y	<i>Quercus kingiana</i> Craib	6.9	6.29	0.5	0.58	8.16	44.77±0.75
89	7y	T	7.13y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	5	5.51	0.58	0.65	5.62	46.46±2.68
90	7y	T	7.14y	<i>Wendlandia tinctoria</i> (Roxb.) DC.	5.2	5.58	0.59	0.55	7.03	45.68±0.78
91	7y	T	7.15y	<i>Quercus kingiana</i> Craib	11.1	6.6	0.57	0.58	32.44	44.92±1.23
92	7y	T	7.16y	<i>Dalbergia cultrata</i> Benth.	5.8	5.08	0.55	0.53	5.68	43.74±0.89
93	7y	T	7.17y	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	11.1	7.26	0.69	0.59	41.88	45.16±0.86
94	7y	C	7.17y	<i>Castanopsis acuminatissima</i> (Blume) A.DC.	5.6	4.07	0.66	0.59	4.89	45.16±0.86
95	7y	T	7.18y	<i>Quercus kingiana</i> Craib	8	4.93	0.52	0.58	7.82	45.22±1.16
96	7y	T	7.19y	<i>Canarium subulatum</i> Guillaumin	7	6.68	0.45	0.41	5.66	43.08±1.01
97	7y	T	7.20y	<i>Dalbergia cultrata</i> Benth.	5.2	5	0.51	0.53	4.52	43.24±0.54

No.	Site	Type	Code	Species	D	H	WD	WD _a	AGB	AC
98	7y	T	7.21y	<i>Phyllanthus emblica</i> L.	5.6	5.55	0.53	0.5	6.39	44.24±0.42
99	7y	T	7.22y	<i>Dalbergia cultrata</i> Benth.	9.4	7.72	0.53	0.53	17.04	44.08±0.51
100	7y	T	7.23y	<i>Styrax benzoides</i> W. G. Craib	10.5	7.9	0.55	0.58	34.85	46.19±1.48
101	7y	C	7.23y	<i>Styrax benzoides</i> W. G. Craib	7	6.79	0.57	0.58	15.45	46.19±1.48
102	7y	T	7.24y	<i>Schima wallichii</i> Choisy	17.8	12.19	0.54	0.53	105.25	45.71±0.7
103	7y	C	7.24y	<i>Schima wallichii</i> Choisy	6	6.8	0.46	0.53	11.74	45.71±0.7
104	7y	T	7.25y	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	12.3	5.8	0.65	0.65	23.99	46.42±1.44
105	SF	T	2F	<i>Castanopsis diversifolia</i> (Kurz) King ex Hook.f.	8.3	11.68	0.52	0.57	17.52	45.01±0.22
106	SF	T	3F	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	7.2	8.26	0.74	0.65	19.38	45.22±0.86
107	SF	T	4F	<i>Helicia nilagirica</i> Bedd.	8.9	12.4	0.49	0.53	23.50	44.47±0.37
108	SF	T	5F	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	8.8	6.9	0.75	0.65	27.65	45.32±1.27
109	SF	T	6F	<i>Helicia nilagirica</i> Bedd.	5.1	5.9	0.61	0.53	3.93	42.39±1.15
110	SF	T	7F	<i>Castanopsis diversifolia</i> (Kurz) King ex Hook.f.	6.4	5.9	0.55	0.57	8.91	44.27±0.17
111	SF	T	8F	<i>Helicia nilagirica</i> Bedd.	6.6	6.8	0.53	0.53	6.11	43.93±1.58
112	SF	T	9F	<i>Castanopsis tribuloides</i> (Sm.) A.DC.	6.4	7.3	0.64	0.6	11.76	45.04±0.29
113	SF	T	10F	<i>Canarium subulatum</i> Guillaumin	6.4	7.1	0.47	0.41	6.61	44.23±0.51
114	SF	T	11F	<i>Schima wallichii</i> Choisy	11.2	14.6	0.52	0.53	52.72	46.19±0.51
115	SF	T	12F	<i>Canarium subulatum</i> Guillaumin	4.8	7.7	0.48	0.41	3.15	44.22±0.18
116	SF	T	13F	<i>Castanopsis diversifolia</i> (Kurz) King ex Hook.f.	5.1	6.43	0.64	0.57	6.36	44.76±0.35
117	SF	T	15F	<i>Canarium subulatum</i> Guillaumin	14.3	11.6	0.32	0.41	31.24	43.96±1
118	SF	T	16F	<i>Schima wallichii</i> Choisy	17.8	17	0.52	0.53	133.44	46.31±1.07
119	SF	T	17F	<i>Castanopsis tribuloides</i> (Sm.) A.DC.	7.8	11.88	0.65	0.6	21.41	45.47±0.83
120	SF	T	18F	<i>Castanopsis tribuloides</i> (Sm.) A.DC.	4.8	6.49	0.58	0.6	6.43	45.45±0.56
121	SF	T	19F	<i>Albizia chinensis</i> (Osbeck) Merr.	21.6	19.3	0.42	0.4	197.52	45.52±1.16
122	SF	T	20F	<i>Canarium subulatum</i> Guillaumin	30.9	15.1	0.32	0.41	231.93	44.54±1.39
123	SF	T	21F	<i>Styrax benzoides</i> W. G. Craib	5.8	8.15	0.58	0.58	8.27	45.08±1.43
124	SF	T	22F	<i>Phyllanthus emblica</i> L.	13.1	10.7	0.56	0.5	72.39	44.94±0.78

No.	Site	Type	Code	Species	D	H	WD	WD _a	AGB	AC
125	SF	T	23F	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	18.1	16.8	0.7	0.65	243.41	45.43±1.08
126	SF	T	24F	<i>Sapindus rarak</i> DC.	16.2	15.5	0.48	0.48	107.98	46.22±1.58
127	SF	T	25F	<i>Archidendron clypearia</i> (Jack) I.C.Nielsen	5.9	5.92	0.43	0.41	3.45	46.73±2.11
128	SF	T	26F	<i>Castanopsis tribuloides</i> (Sm.) A.DC.	15.3	16.5	0.54	0.6	94.84	45.52±0.93
129	SF	T	27F	<i>Aporosa villosa</i> (Lindl.) Baill.	11.3	11.31	0.48	0.51	27.64	43.24±2.8
130	SF	T	28F	<i>Sarcosperma arboreum</i> Hook.f.	6.1	7.2	0.53	0.54	9.95	45.35±1.04
131	SF	T	29F	<i>Helicia nilagirica</i> Bedd.	19.1	13.4	0.55	0.53	109.47	45.59±0.59
132	SF	T	30F	<i>Eugenia fruticosa</i> (DC.) Roxb.	10.8	7.78	0.43	0.49	20.83	45.19±0.73
133	SF	T	31F	<i>Castanopsis diversifolia</i> (Kurz) King ex Hook.f.	11.5	14.6	0.58	0.57	45.33	45.24±0.6
134	SF	T	32F	<i>Phoebe lanceolata</i> (Nees) Nees	12.6	15.52	0.45	0.52	56.02	45.15±0.56
135	SF	T	33F	<i>Lithocarpus polystachyus</i> (Wall. ex A.DC.) Rehder	6.7	12.1	0.68	0.65	21.51	45.3±1.2
136	SF	T	34F	<i>Wendlandia tinctoria</i> (Roxb.) DC.	8.5	11.69	0.44	0.55	16.04	46.1±0.73

Supplementary table S4

Comparison of different aboveground biomass (AGB) models for mixed species and species-specific models with different input variables (entire dataset, 136 trees).

Model	Parameter estimated				Adj. R^2	RSE	AIC	S%
	<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>				
<i>Mixed-species</i>								
1	-2.032	2.275			0.959	0.365	115.5	29.19
2	-1.618	1.603	0.209		0.966	0.333	92.1	27.11
3	-2.571	1.832	0.721		0.966	0.334	92.7	25.69
4	-1.473	2.227	0.723		0.965	0.337	95.3	25.52
5	-2.675	0.869			0.966	0.334	91.8	25.78
6	-2.069	0.850	0.768		0.972	0.299	63.0	21.61
7	-2.003	0.847			0.972	0.298	61.3	21.64
8	-2.008	1.761	0.756	0.761	0.972	0.300	64.4	21.71
<i>Lithocarpus polystachyus</i>								
1	-1.682	2.186			0.957	0.360	22.3	26.84
2	-1.345	1.430	0.282*		0.967	0.316	17.0	22.78
3	-2.756	1.468	1.311		0.990	0.168	-11.9	11.87
4	-0.736	2.102	1.677		0.971	0.296	14.0	19.35
5	-2.414	0.864			0.987	0.198	-5.4	14.08
6	-1.865	0.843	0.922**		0.991	0.163	-13.2	12.10
7	-1.912	0.846			0.992	0.160	-15.1	12.02
8	-2.241	1.524	1.148	0.674*	0.992	0.152	-15.6	11.95
<i>Phyllanthus emblica</i>								
1	-2.505	2.510			0.952	0.257	6.2	34.00
2	-1.743	1.327*	0.393*		0.962	0.229	2.8	30.19
3	-2.963	2.269	0.494 ^{ns}		0.952	0.257	7.1	30.80
4	-2.010	2.474	0.648 ^{ns}		0.953	0.255	7.1	29.62
5	-3.418	1.003			0.952	0.258	6.3	30.60
6	-2.840	0.987	0.738		0.954	0.254	6.5	24.11
7	-2.644	0.980			0.956	0.247	4.7	23.37
8	-2.470	2.213	0.530 ^{ns}	0.688 ^{ns}	0.953	0.2543	6.9	25.32
<i>Aporosa villosa</i>								
1	-1.871	2.041			0.972	0.209	-1.3	29.92
2	-1.277	1.056**	0.318**		0.985	0.152	-11.9	32.97
3	-2.428	1.493	0.878**		0.982	0.167	-8.6	26.83
4	-2.299	2.048	-0.596 ^{ns}		0.972	0.208	-0.7	36.16
5	-2.368	0.779			0.983	0.162	-10.4	27.13
6	-2.677	0.780	-0.431 ^{ns}		0.983	0.162	-9.6	32.69
7	-1.799	0.771			0.976	0.195	-3.8	17.79
8	-2.704	1.520	0.842**	-0.417 ^{ns}	0.982	0.168	-7.7	32.37

Parameter estimated; *a*, *b*, *c* and *d* are the coefficients estimated of regression model, Adj R^2 is the coefficient of determination, RSE: residual standard error of the estimate, AIC: Akaike Information Criterion, and S%: average deviation. Significance of the parameter estimate is indicated with 'ns' for $p > 0.05$ (non-significant), '*' for $P < 0.05$; '**' for $P < 0.01$, for ' ' for $P < 0.001$.

Supplementary table S5 - Average wood density (WD), Global Wood Density (GWD) and Genus from Zanne et al. (2009), "No." refers to the species ID number.

No.	Species name	WD (g cm ⁻³) (This study)			GWD (g cm ⁻³)			Genus (g cm ⁻³)		
		$\bar{x}\pm SD$	n	min-max	$\bar{x}\pm SD$	n	min-max	$\bar{x}\pm SD$	n	min-max
1	<i>Actinodaphne henryi</i>							0.51±0.09	8	0.4-0.65
2	<i>Adenantha microsperma</i>				0.64	1				
3	<i>Albizia chinensis</i>	0.4±0.07	9	0.26-0.49	0.30	1				
4	<i>Albizia lebbek</i>				0.6±0.12	6	0.45-0.8			
5	<i>Albizia odoratissima</i>	0.63	1		0.64±0.06	6	0.57-0.71			
6	<i>Alstonia rostrata</i>	0.37±0	2	0.36-0.37						
7	<i>Anneslea fragrans</i>	0.58±0.07	2	0.53-0.63	0.68±0.05	3	0.63-0.72			
8	<i>Anogeissus acuminata</i>				0.88	1				
9	<i>Antidesma acidum</i>							0.65±0.08	13	0.51-0.8
10	<i>Antidesma sootepensis</i>	0.53±0.07	4	0.47-0.62						
11	<i>Aporosa octandra</i>	0.58±0.01	2	0.57-0.58						
12	<i>Aporosa villosa</i>	0.51±0.08	70	0.46-0.54						
13	<i>Archidendron clypearia</i>	0.41±0.04	8	0.34-0.47	0.32±0.06	3	0.26-0.37			
14	<i>Artocarpus lacucha</i>							0.48±0.1	63	0.27-0.73
15	<i>Berrya mollis</i>	0.44±0.03	4	0.39-0.46						
16	<i>Bombax anceps</i>	0.19±0.01	2	0.19-0.2	0.41	1				
17	<i>Buchanania lanzan</i>	0.47±0.07	3	0.42-0.56	0.39±0.09	2	0.33-0.45			
18	<i>Callicarpa arborea</i>	0.44	1							
19	<i>Calophyllum inophyllum</i>	0.34	1		0.58±0.04	5	0.53-0.64			
20	<i>Canarium subulatum</i>	0.41±0.08	38	0.2-0.52						
21	<i>Canthium glabrum</i>	0.54±0.05	11	0.47-0.63	0.41	1				
22	<i>Castanopsis acuminatissima</i>	0.59±0.11	26	0.42-0.76	0.58±0.01	2	0.58-0.59			
23	<i>Castanopsis calathiformis</i>	0.67±0.03	2	0.65-0.69						
24	<i>Castanopsis diversifolia</i>	0.57±0.09	35	0.35-0.78						
25	<i>Castanopsis lucida</i>	0.51±0.03	6	0.46-0.54	0.53	1				
26	<i>Castanopsis tribuloides</i>	0.6±0.07	30	0.48-0.77	0.59±0.12	2	0.51-0.68			
27	<i>Celtis tetrandra</i>	0.58±0.05	2	0.55-0.62	0.52	1				
28	<i>Cinnamomum camphora</i>				0.49±0.08	5	0.42-0.62			
29	<i>Cinnamomum verum</i>				0.50	1				
30	<i>Colona winitii</i>	0.44	1							
31	<i>Craibiodendron stellatum</i>	0.62±0.05	3	0.56-0.67						
32	<i>Cratoxylum cochinchinense</i>				0.67±0.1	2	0.6-0.74			
33	<i>Cratoxylum formosum</i>	0.62±0.02	3	0.6-0.64	0.72±0.06	4	0.64-0.76			
34	<i>Dalbergia cana</i>	0.62±0.08	2	0.57-0.68						
35	<i>Dalbergia cultrata</i>	0.53±0.05	32	0.43-0.67	0.77	1				
36	<i>Dalbergia oliveri</i>	0.46±0.03	2	0.44-0.48	0.88±0.04	2	0.85-0.91			
37	<i>Dalbergia ovata*</i>				0.68	1				
38	<i>Dillenia parviflora</i>	0.6±0.06	5	0.53-0.68	0.56	1				
39	<i>Dimocarpus longan</i>				0.70	1				
40	<i>Diospyros glandulosa</i>	0.51±0.06	2	0.47-0.55						
41	<i>Dodonaea viscosa</i>				0.95±0.15	2	0.84-1.05			
42	<i>Elaeocarpus stipularis</i>	0.64	1		0.45±0.02	2	0.43-0.46			
43	<i>Engelhardtia serrata</i>				0.37	1				
44	<i>Engelhardtia spicata</i>				0.44±0.06	3	0.37-0.49			
45	<i>Eriolaena candollei</i>				0.70	1				
46	<i>Erythrina subumbrans</i>	0.32	1		0.23	1				
47	<i>Eugenia albiflora</i>							0.73±0.12	95	0.49-1.3
48	<i>Eugenia cumini</i>	0.57±0.05	3	0.52-0.61	0.56	1				
49	<i>Eugenia fruticosa</i>	0.49±0.09	31	0.34-0.71						
50	<i>Eurya acuminata</i>	0.56±0.06	6	0.47-0.62	0.50	1				
51	<i>Fernandoa adenophylla</i>	0.63±0.04	2	0.61-0.66	0.49	1				
52	<i>Ficus fistulosa</i>	0.24±0.05	9	0.14-0.31	0.38	1				
53	<i>Ficus hirta</i>							0.41±0.09	153	0.14-0.68
54	<i>Ficus hispida</i>				0.38±0.04	2	0.35-0.41			
55	<i>Ficus semicordata</i>	0.36±0.08	8	0.25-0.5						
56	<i>Flacourtia indica</i>	0.67±0.03	4	0.65-0.71	0.74±0.07	2	0.69-0.78			
57	<i>Garcinia cowa</i>				0.55	1				
58	<i>Garcinia xanthochymus</i>				0.79	1				
59	<i>Gardenia sootepensis</i>							0.67±0.07	14	0.56-0.77
60	<i>Glochidion rubrum</i>				0.64	1				
61	<i>Glochidion sphaerogynum</i>	0.46	1							
62	<i>Gluta usitata</i>	0.64	1		0.74	1				
63	<i>Grewia eriocarpa</i>	0.47±0.01	2	0.46-0.49	0.67	1				

Table S5 (Continued)

No.	Species name	WD (g cm ⁻³) (This study)			GWD (g cm ⁻³)			Genus (g cm ⁻³)		
		$\bar{x}\pm SD$	n	min-max	$\bar{x}\pm SD$	n	min-max	$\bar{x}\pm SD$	n	min-max
64	<i>Helicia nilagirica</i>	0.53±0.07	36	0.42-0.76	0.64±0.02	3	0.62-0.66			
65	<i>Heynea trijuga</i>	0.53±0.07	2	0.48-0.57	0.45	2	0.45-0.55			
66	<i>Ilex umbellulata</i>	0.44±0.06	24	0.28-0.54						
67	<i>Ixora cibdela</i>							0.79±0.1	7	0.69-0.96
68	<i>Knema cinerea</i>							0.53±0.05	19	0.44-0.63
69	<i>Lagerstroemia tomentosa</i>				0.54	1				
70	<i>Lepisanthes tetraphylla*</i>				0.81±0.21	2	0.66-0.96			
71	<i>Lindera meisneri</i>							0.52±0.1	8	0.36-0.64
72	<i>Lithocarpus garrettianus</i>							0.67±0.12	65	0.44-0.88
73	<i>Lithocarpus polystachyus</i>	0.65±0.11	119	0.41-1.03						
74	<i>Litsea glutinosa</i>	0.29	1		0.5±0.08	2	0.44-0.56			
75	<i>Litsea lancifolia</i>	0.43	1							
76	<i>Litsea monopetala</i>	0.44	1		0.42±0.03	6	0.38-0.45			
77	<i>Macaranga denticulata</i>				0.43±0.07	4	0.33-0.49			
78	<i>Macaranga kurzii</i>							0.38±0.12	57	0.23-0.7
79	<i>Magnolia baillonii</i>	0.42±0.04	2	0.39-0.45						
80	<i>Magnolia hodgsonii</i>	0.51±0.15	3	0.41-0.69	0.62	1				
81	<i>Mallotus philippensis</i>							0.5±0.12	29	0.32-0.7
82	<i>Mangifera indica</i>				0.55±0.07	6	0.48-0.68			
83	<i>Markhamia stipulata</i>	0.44±0.06	2	0.4-0.48	0.68±0.18	2	0.55-0.8			
84	<i>Meliosma simplicifolia</i>				0.45	1				
85	<i>Memecylon scutellatum</i>	0.41	1							
86	<i>Muntingia calabura</i>				0.30	1				
87	<i>Olea rosea Craib</i>	0.59±0.11	4	0.45-0.68						
88	<i>Oroxylum indicum</i>	0.32	1		0.41±0.07	3	0.34-0.48			
89	<i>Phoebe lanceolata</i>	0.52±0.09	24	0.4-0.78	0.69	1				
90	<i>Phyllanthus emblica</i>	0.5±0.07	72	0.35-0.72	0.64±0.06	3	0.57-0.68			
91	<i>Polyalthia cerasoides</i>	0.56±0.09	4	0.43-0.63	0.76±0.11	2	0.68-0.83			
92	<i>Polyalthia viridis</i>	0.49±0.03	3	0.45-0.52						
93	<i>Protium serratum</i>	0.43	1							
94	<i>Pterocarpus macrocarpus</i>				0.70	1				
95	<i>Quercus kerrii</i>	0.68	1							
96	<i>Quercus kingiana</i>	0.58±0.09	50	0.29-0.78						
97	<i>Quercus semiserrata</i>	0.63±0.05	9	0.55-0.73	0.71±0.05	3	0.66-0.76			
98	<i>Rapanea yunnanensis</i>	0.59±0.05	3	0.53-0.63						
99	<i>Rhus chinensis</i>							0.59±0.21	14	0.37-1.01
100	<i>Sapindus rarak</i>	0.48±0.04	8	0.43-0.55	0.51	1				
101	<i>Sarcosperma arboreum</i>	0.54±0.02	2	0.53-0.56	0.46	1				
102	<i>Schima wallichii</i>	0.53±0.06	47	0.39-0.72	0.56±0.04	8	0.5-0.62			
103	<i>Schoepfia fragrans</i>	0.57	1							
104	<i>Semecarpus albescens</i>	0.54±0.03	4	0.5-0.58	0.26	1				
105	<i>Shorea roxburghii</i>	0.64±0.05	3	0.61-0.71	0.70	1				
106	<i>Spondias lakonensis</i>	0.29	1							
107	<i>Spondias pinnata</i>	0.34	1		0.29±0.06	5	0.22-0.36			
108	<i>Sterculia balanghas</i>							0.43±0.13	79	0.2-0.7
109	<i>Stereospermum colais</i>	0.45±0.05	3	0.4-0.49						
110	<i>Stereospermum neuranthum</i>	0.61±0.06	3	0.54-0.66						
111	<i>Styrax benzoides</i>	0.58±0.07	33	0.35-0.8	0.00	1				
112	<i>Symplocos macrophylla</i>	0.53	1							
113	<i>Toona ciliata</i>	0.49	1		0.38±0.04	6	0.33-0.43			
114	<i>Turpinia pomifera</i>	0.49±0.04	5	0.45-0.56						
115	<i>Vitex limonifolia</i>							0.55±0.12	41	0.4-0.9
116	<i>Wendlandia tinctoria</i>	0.55±0.09	27	0.37-0.73						
117	<i>Xanthophyllum virens</i>	0.54	1							
	Average	0.51±0.11	883	0.14-1.03	0.56±0.15	142	0.22-0.88			

*Trees of these species died before sample collection

Supplementary table S6

Average wood density (g cm⁻³) differences among tree species

Tree species	WD±SD	Duncan's test	Pioneer/Climax
<i>Flacourtia indica</i>	0.67±0.03	a	Pioneer
<i>Shorea roxburghii</i>	0.65±0.06	ab	Climax
<i>Lithocarpus polystachyus</i>	0.65±0.11	abc	Climax
<i>Quercus semiserrata</i>	0.63±0.05	abcd	Climax
<i>Cratogeomys formosum</i>	0.63±0.02	abcde	Pioneer
<i>Craibiodendron stellatum</i>	0.62±0.06	abcdef	Climax
<i>Stereospermum neuranthum</i>	0.61±0.06	abcdefg	Climax
<i>Dillenia parviflora</i>	0.6±0.06	abcdefgh	Climax
<i>Castanopsis tribuloides</i>	0.6±0.07	abcdefghi	Climax
<i>Olea rosea</i>	0.59±0.11	abcdefghij	Climax
<i>Rapanea yunnanensis</i>	0.59±0.05	abcdefghijk	Climax
<i>Castanopsis acuminatissima</i>	0.59±0.11	abcdefghijkl	Climax
<i>Quercus kingiana</i>	0.58±0.09	abcdefghijkl	Climax
<i>Styrax benzoides</i>	0.58±0.07	abcdefghijkl	Pioneer
<i>Eugenia cumini</i>	0.57±0.05	abcdefghijkl	Climax
<i>Castanopsis diversifolia</i>	0.57±0.09	abcdefghijkl	Climax
<i>Polyalthia cerasoides</i>	0.57±0.09	abcdefghijkl	Pioneer
<i>Eurya acuminata</i>	0.56±0.06	bcdefghijkl	Pioneer
<i>Wendlandia tinctoria</i>	0.55±0.09	cdefghijklm	Pioneer
<i>Sarcosperma arboreum</i>	0.54±0.05	cdefghijklm	Climax
<i>Semecarpus albescens</i>	0.54±0.03	cdefghijklm	Pioneer
<i>Antidesma sootepensis</i>	0.53±0.07	defghijklm	Pioneer
<i>Helicia nilagirica</i>	0.53±0.07	defghijklm	Pioneer
<i>Dalbergia cultrata</i>	0.53±0.05	dfghijklm	Pioneer
<i>Schima wallichii</i>	0.53±0.06	efghijklmn	Pioneer
<i>Phoebe lanceolata</i>	0.52±0.09	fghijklmn	Climax
<i>Magnolia hodgsonii</i>	0.52±0.15	fghijklmno	Climax
<i>Castanopsis lucida</i>	0.51±0.03	ghijklmno	Climax
<i>Aporosa villosa</i>	0.51±0.08	ghijklmno	Climax
<i>Phyllanthus emblica</i>	0.5±0.07	hijklmnop	Pioneer
<i>Polyalthia viridis</i>	0.49±0.04	ijklmnop	Climax
<i>Eugenia fruticosa</i>	0.49±0.09	ijklmnop	Climax
<i>Turpinia pomifera</i>	0.49±0.04	klmnop	Climax
<i>Sapindus rarak</i>	0.48±0.04	lmnop	Climax
<i>Ilex umbellulata</i>	0.44±0.06	mnoqp	Climax
<i>Berrya mollis</i>	0.44±0.03	mnoqp	Climax
<i>Archidendron clypearia</i>	0.41±0.04	nopq	Pioneer
<i>Canarium subulatum</i>	0.41±0.08	opq	Climax
<i>Albizia chinensis</i>	0.4±0.07	pq	Pioneer
<i>Ficus semicordata</i>	0.36±0.08	q	Pioneer
<i>Ficus fistulosa</i>	0.24±0.06	r	Pioneer

Duncan's Multiple Range test. Species not sharing the same letter have significantly different, average wood densities ($p \leq 0.05$).

Pioneer and climax species classification is based on Maxwell and Elliott (2001), Sinhaseni (2008) and Vaidhayakarn and Maxwell (2010)

Supplementary table S7

Mean carbon concentration (%) across species

Tree species	%C±SD	Duncan's test	Pioneer/Climax
<i>Archidendron clypearia</i>	46.73±2.08	a	Pioneer
<i>Sapindus rarak</i>	46.22±1.58	ab	Climax
<i>Schima wallichii</i>	46.03±1.06	abc	Pioneer
<i>Wendlandia tinctoria</i>	45.88±0.86	abc	Pioneer
<i>Phoebe lanceolata</i>	45.65±1.35	bcd	Climax
<i>Styrax benzoides</i>	45.62±1.51	bcd	Pioneer
<i>Albizia chinensis</i>	45.52±1.16	bcde	Pioneer
<i>Castanopsis tribuloides</i>	45.37±0.73	bcde	Climax
<i>Lithocarpus polystachyus</i>	45.37±1.39	cde	Climax
<i>Sarcosperma arboreum</i>	45.35±1.04	cde	Climax
<i>Castanopsis acuminatissima</i>	45.28±0.73	cde	Climax
<i>Eugenia fruticosa</i>	45.19±0.71	cde	Climax
<i>Quercus kingiana</i>	45.03±1.11	def	Climax
<i>Ilex umbellulata</i>	44.97±0.88	def	Climax
<i>Castanopsis diversifolia</i>	44.89±0.53	def	Climax
<i>Quercus semiserrata</i>	44.70±0.61	efg	Climax
<i>Helicia nilagirica</i>	44.32±1.48	fg	Pioneer
<i>Phyllanthus emblica</i>	44.32±0.76	fg	Pioneer
<i>Canarium subulatum</i>	44.00±1.02	g	Climax
<i>Dalbergia cultrata</i>	43.97±0.88	g	Pioneer
<i>Aporosa villosa</i>	43.04±2.08	h	Climax
<i>Ficus semicordata</i>	41.26±3.16	i	Pioneer
<i>Ficus fistulosa</i>	39.43±3.87	j	Pioneer
Average across species	44.84±1.63		

Duncan's Multiple Range test. Species not sharing the same letter have significantly different, mean carbon concentration ($p \leq 0.05$).

Pioneer and climax species classification is based on Maxwell and Elliott (2001), Sinhaseni (2008) and Vaidhayakarn and Maxwell (2010)

Supplementary table S8

Model validation and comparison with previous models (N = 27 trees, split randomly 200 times). Cross-validation statistics were computed and averaged over 200 iterations

Variable	Type	Site	Equation	D (cm)	N	Bias (%)	RMSE (%)	MAPE (%)	
D	DF	India	Brown (1997) (Dry)	$AGB = \exp(-1.996 + 2.32\ln(D))$	5-40	28	-18.30	44.05	33.70
		WMT	Brown (1997) (Moist)	$AGB = \exp(-2.134 + 2.530 \ln(D))$	5-148	170	-44.72	70.60	53.11
	ESF	Malaysia.	Kenzo et al. (2009)	$AGB = 0.0829(D)^{2.43}$	0.11-28.7	107	14.02	33.60	28.28
	SES, F	Thailand, This study	Model 1	$AGB = \exp(-2.03185 + 2.27503\ln(D))$	1-32.9	136	-6.41	36.62	28.84
		WMT	IPCC (2003)	$AGB = \exp(-2.289 + 2.649 \ln(D - 0.021(\ln(D))^2))$	5-148	226	-41.18	69.39	51.48
SES, F	Thailand, This study	Model 2	$AGB = \exp(-1.61844 + 1.60341\ln(D) + 0.20919 (\ln(D))^2)$	1-32.9	136	-7.40	42.48	30.04	
D,H	DEF	Thailand	Tsutsumi et al. (1983)	$AGB = Ws + Wb + Wl$	~ 60(Dmax)	60	-32.40	53.98	40.37
			Stem	$Ws = 0.0509 (D^2H)^{0.919}$	-	-	-42.90	58.75	45.37
			Branch	$Wb = 0.00893(D^2H)^{0.977}$	-	-	-63.49	143.06	89.25
			Leaves	$Wl = 0.0140(D^2H)^{0.669}$	-	-	-14.76	89.75	60.23
	MDF,F	Myanmar	Chan et al. (2013)	$AGB = 0.063(D^2H)^{0.862}$	1.2-25.4	160	6.13	31.37	24.67
	MF,F	Laos	McNicol et al. (2015)	$AGB = 0.19 + 0.027(D^2H)$	1.7-36.2	150	6.27	31.18	26.29
	SES, F	Thailand, This study	Model 5	$AGB = \exp(-2.67506 + 0.86882\ln(D^2H))$	1-32.9	136	-6.02	34.93	25.66
D,H,WD	Pan tropical forest		Chave et al. (2005) (Dry)	$AGB = \exp(-2.187 + 0.916 \ln(D^2H \times WD))$ $\equiv 0.112(D^2H \times WD)^{0.916}$	5-156	2410	-16.04	36.98	28.39
			Chave et al. (2005) (Moist)	$AGB = \exp(-2.977 + \ln(D^2H \times WD))$ $\equiv 0.0509(D^2H \times WD)$	5-156	2410	22.95	36.23	30.56
	Pan tropical forest		Chave et al. (2014)	$AGB = 0.0673(D^2H \times WD)^{0.976}$	5-212	4004	8.88	32.00	26.72
	SES, F	Thailand, This study	Model 7	$AGB = \exp(-2.00325 + 0.84730 \ln(D^2H \times WD))$	1-32.9	136	-4.66	29.14	21.60

D = diameter at breast height, *N* = number of samples, *WMT* = world moist tropical, *DF*= dry forest, *ESF*=early succession secondary forest, *EF*= seasonally dry evergreen scrub, *F*=fallow after shifting or swidden cultivation, *DEF*= dry evergreen forest, *MDF*=mixed deciduous forest, *MF*=moist forest